



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

BALLARINI - Low saucepan, 1 handle, 7000 series, COMPLETE RANGE with Ø from 200 mm to 360 mm :

- **professional line** in **99% pure aluminium - 3 mm thickness** ;
- external and internal finish in **neutralized pickled aluminum** ;
- **high thickness base** (3 mm) for **excellent heat distribution and maintenance** ;
- **flatness of the bottom** obtained when the cooking temperature is reached for **complete adhesion to the cooking surface** ;
- **professional stainless steel handle with reinforced ribs** , **tubular** to reduce heat transmission, 'full grip'.

MADE IN ITALY

AVAILABLE MODELS

MRN-109875



Low aluminium saucepan, 3 mm thick, 200 mm diameter, 80 mm high

€ 17,04

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MRN-109876



Low aluminium saucepan, 3 mm thick, 240 mm in diameter, 85 mm high

€ 20,65

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MRN-109877



Low aluminium saucepan, 3 mm thick, 280 mm in diameter, 105 mm high

€ 30,48

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MRN-109878



Low aluminium saucepan, 3 mm thick, 320 mm diameter, 105 mm high

€ 38,00

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



SERIE 7000
2,5 MM - 5 MM - ALLUMINIO BIANCO



LINEA PROFESSIONALE IN ALLUMINIO PURO 99%

Made in Italy

Finitura esterna
Alluminio lavato decapato
neutralizzato

Spessore costante
Compreso tra mm 2,5 e mm 5,0

Finitura interna
Alluminio lavato decapato
neutralizzato

Manicatura
Manicatura professionale in acciaio inox a nervatura
rinforzata, in tubolare per ridurre la trasmissione del
calore, "a piena presa"



Fondo
Fondo ad alto spessore costante per un'ottima distribuzione e
mantenimento del calore. Planarità ottenuta al raggiungimento
della temperatura di cottura per una completa aderenza al piano
di cottura

Fonti di riscaldamento

