



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,55
net weight (Kg)	15
breadth (mm)	260
depth (mm)	435
height (mm)	235

PROFESSIONAL DESCRIPTION

Cast iron tabletop griddle with ribbed lift-up top and smooth bottom surface :

- **stainless steel structure ;**
- **cast iron plates with glass-ceramic treatment** , to guarantee maximum strength, durability, hygiene and resistance to acids and salts as well as absolute resistance to oxidation;
- **thermostatic control from 0° to 300°C;**
- **ideal for cooking any food brought to the grill** , such as stuffed toast, hot sandwiches of various thicknesses and sizes, meat, fish, eggs, vegetables, cheeses;
- **easy to handle and position** , it offers a large work surface in a small space;
- **excellent thermal conductivity ;**
- extremely easy to clean;
- **self-balancing upper plates with adjustable hardness according to the operator's needs ;**
- **armored resistors adherent to the plates** for optimal thermal conductivity and rapid heating;
- external dimensions: mm 260x435x235h;
- lower plate dimensions: 250x255 mm.

MADE IN ITALY

CODE	DESCRIPTION	PRICE/DELIVERY
KRPGRL1	CAST IRON TABLETOP COOKING PLATE TREATED WITH VITRIFIED FOOD-GRADE ENAMEL, with SMOOTH LOWER SHELF and 1 RIBBED LIFTING SHELF,	€ 309,59 VAT excluded Shipping to be calculated

THERMOSTATIC CONTROL FROM 0° TO 300°C, V.
230/1, Kw. 1.55 - dimensions mm. 260X435X235h

Delivery from 4 to 9 days