



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,55
net weight (Kg)	15
breadth (mm)	260
depth (mm)	435
height (mm)	235

PROFESSIONAL DESCRIPTION

Cast iron table top with ribbed liftable surface and smooth lower surface :

- **stainless steel structure ;**
- **cast iron plates with glass ceramic coating** , to guarantee maximum strength, durability, hygiene and resistance to acids and salts as well as absolute resistance to oxidation;
- **thermostatic control from 0 ° to 300 ° C;**
- **ideal for cooking any food cooked on a plate** , such as stuffed toast, hot rolls of various thicknesses and sizes, meat, fish, eggs, vegetables, cheeses;
- **easy to handle and position** , it offers a large work surface in a small space;
- **excellent thermal conductivity ;**
- extreme ease of cleaning;
- **upper plates self-balanced with hardness adjustable to the need of the operator ;**
- **armored resistances adherent to the plates** for an optimal thermal conductivity and rapid heating;
- external dimensions: 260x435x235h mm;
- bottom plate size: 250x255 mm.

MADE IN ITALY

CODE	DESCRIPTION	PRICE/DELIVERY
KRPGRL1	COOKING PLATE from table in CAST IRON TREATED WITH GLAZED FOOD ENAMEL, with SMOOTH LOWER	€ 300,58

PLATE and 1 RIGGED LIFTING TABLE, THERMOSTATIC
CONTROL FROM 0 ° TO 300 ° C, V. 230/1, Kw. 1.55 -
dimensions mm. 260X435X235h

VAT excluded
Shipping to be calced

Delivery from 4 to 9 days