



TECHNICAL CARD

power supply	Trifase
Volts	V 400/3 +N
frequency (Hz)	50
motor power capacity (Kw)	4,5
net weight (Kg)	190
gross weight (Kg)	210
breadth (mm)	550
depth (mm)	650
height (mm)	1150

PROFESSIONAL DESCRIPTION

CREAM COOKER - PASTEURIZER for the production of all creams or pasteurization of ice cream mixes, - Tank capacity from 15 to 30 liters maximum:

- Built on a steel structure with **bodywork and tank in 18/10 STAINLESS STEEL**;
- **14 preset cycles** , each processing takes place **at the desired temperatures and at the optimal mixing speed**;
- **agitator with mobile scraping elements** and **different stirring speeds** , adaptable to the specific product treated;
- **automatic memory of the last cycle** performed and **repetition of the cycle in the event of a power cut** ;
- **multilingual liquid crystal** display;
- **double lid for additions** during processing and **better steam elimination** ;
- **indirect heat treatments** through the circulation of a **food-grade heat-conducting liquid** ;
- **ideal for the production of all classic creams and 100 other pastry specialties** and for the pasteurization of various ice cream mixes ;
- **Front extraction of the processed mixtures with a special tap**;
- **operating temperatures** varying from **+1° to +105°C** ;
- **water or air cooled condenser** of your choice;
- **Mounted on 4 swivel wheels (2 with brakes)** .

CE MARK
MADE IN ITALY

CODE	DESCRIPTION	PRICE/DELIVERY
------	-------------	----------------

CRTERMOCREMA30

CREAM COOKER - PASTEURIZER for the production of all creams or pasteurization of ice cream mixes, capacity from 15 to 30 lt, VARIABLE USE TEMPERATURES from +1° to 105°C, WATER CONDENSER, V.400/3+N, Kw 4.5, dim.mm.550x650x1150h