

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

Thermal input (Kw)	10,5
gross weight (Kg)	50
breadth (mm)	420
depth (mm)	700
height (mm)	440

PROFESSIONAL DESCRIPTION

GRILL VAPOR 700 series, TOP version, POWER line, 1 GAS cooking module :

- made of AISI 304 stainless steel;
- 1 cooking area with adjustable temperature measuring 390x470 mm;
- removable cooking grill made of rods;
- patented device to adjust the height of the grating in 2 positions;
- piezoelectric ignition;
- burners complete with pilot flame and safety thermocouple;
- water drawer under the burners powered by manual filling;
- heat radiation cooking system for grilling in a natural and healthy way, enhancing the best organoleptic and softness characteristics of foods, promoting the dispersion of fats;
- powered by methane gas or LPG; methane consumption m3/h-LPG Kg/h: 1.11 / 0.82

POWER LINE is the Arris gas Grillvapor line specific for thick meats and rapid cooking at high temperatures such as high grilling capable of reaching a temperature of OVER 400°C uniformly spread across the entire cooking surface thanks to the use of high-performance burners. efficiency that cook foods by radiation.

Furthermore, the grills are equipped with a device that modifies the height of the grill for rapid regulation of the heat transmitted to the food. Grillvaporlinea power is particularly suitable for: Florentine steaks, rump steaks, flanksteaks, T-bones, dry aged beef, and all high grilling techniques.

The top COUNTERTOP model with manual loading and unloading can BE PLACED ON TABLES or on our REFRIGERATED BASES or on our bases with open or closed cabinets, it is IDEAL TO MAKE THE BEST EXPLOIT OF THE SPACE and staff movements.

Thanks to the patented Arris Grillvapor® technology, weight loss (-20%) and mass loss are reduced to increase the portions of cooked foods, bringing great economic advantages to those who use Girillvapor®. The humidification of the hob allows faster cooking (+20% on average compared to traditional grilling systems) and allows you to cook in a healthy way while keeping the colors of the food alive. The patented Arris Grillvapor® technology, thanks to the particular cooking system, also enhances the flavors and organoleptic characteristics of foods, eliminating the use of seasoning oils and fats for further economic savings.

Grilling system with GRILLVAPOR ® technology which combines high temperatures and humidification of the cooking area to offer you:

- High temperatures for perfect grilling
- Maintaining juiciness within the food
- Less weight loss, on average around 25% (savings for the restaurateur).

- Less loss in product volume ($\boldsymbol{more\ portions}$).
- Less use of oil and seasonings for healthier cooking.
- Faster cooking (+20% compared to traditional grills).
- Improvement of the organoleptic characteristics of food.
- Reduction of smoke .
- Better thermal shock absorption .
- Better heat distribution.
- We speed up cleaning processes, less manpower for cleaning.

CE mark Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
AS-GV407-PTOP	GRILL VAPOR GAS TOP version, POWER line, 1 module with 390x470 mm COOKING ZONE, complete with rod grill, device for adjusting the hob, 10.5 kw thermal power, weight 50 Kg, dim.420x700x440hmm	€ 0,00 VAT escluded Shipping to be calculed
		Delivery from 4 to 9 days
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
AS-B70/90	Kit of 4 round legs in stainless steel - Request a Quote	€ 0,00 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
AS-MR47	Open base cabinet - Ask for a quote	€ 0,00 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
AS-REG70	Grille Adjustment Device - Ask for a Quote	€ 0,00 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
AS FTI70	Smooth Steel Fry-Top - Request a Quote	€ 0,00 VAT escluded Shipping to be calculed Delivery from 4 to 9 days

