



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,4
net weight (Kg)	23
breadth (mm)	200
depth (mm)	450
height (mm)	440

PROFESSIONAL DESCRIPTION

Mod.OS-INT90E - ELECTRIC MEAT TENDERIZER with 2 Rollers
with 44+44 stainless steel blades :

- **made of anodized aluminum ;**
- **equipped with 2 rollers with 44+44 blades for each roller ;**
- **maximum thickness of the product to be introduced 20 mm ;**
- **blade cover combs** to accompany the cutting of meat;
- **makes meat tender** and easy to cook;
- inserting a slice of normal quality meat into the tenderizing unit, thousands of cutting knives of the tenderizing blades enter deeply, severing the muscle fibers and tendons, with a surprising result, all the fibers are interrupted, giving the meat a more compact appearance;
- **completely hermetic engine with forced air flow cooling system ;**
- possibility of working for several consecutive hours without heating the cutting unit and without emitting any noise;
- the powerful gearmotor unit remains stable on and off the workbench

CE mark
Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
OS-INT90E	ELECTRIC meat tenderizer, with ROLLERS of 44+44 STAINLESS STEEL blades, max insertable thickness mm 20, V.230/1, kw 0.40, dimensions mm 200x450x440h	€ 1.998,07 VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

OS-OPT68

Aluminum blade cover

€ 106,80

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days



OS-OPT69/4

4 mm strip cutter group

€ 690,79

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days



OS-OPT69/8

8 mm strip cutter group

€ 690,79

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days



OS-OPT69/6

6 mm strip cutter unit

€ 690,79

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days



OS-OPT69/12

12 mm strip cutter unit

€ 690,79

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days



