

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

MODULAR electric PASTRY OVEN Modular, for 3 600x400 mm trays, PAST FOOD line:

- stainless steel front for all models ,
- MODULES with 600x1200 mm cooking CHAMBER, in aluminised sheet metal and EMBOSSED SHEET METAL TOP made with a
 HEIGHT of 170 or 270 mm;
- Capacity: 3 600x400 mm trays,
- vapor exhaust on the back of the chamber,
- DIGITAL CONTROL panel as standard,
- electronic thermostatic control of the ceiling and floor temperatures,
- maximum cooking temperature 450 °C ,
- armored resistance in the sky and in the audience,
- digital thermometer for displaying temperature in each room,
- o door with tempered glass window,
- o protected internal lighting,
- **ergonomic counterbalanced** swing door hinged at the bottom.

OPTIONAL/ACCESSORIES:

- \circ oven supports with tray holder guides made of painted steel, available with heights of 500 mm, 700 mm and 860 mm ,
- leavening cells for monobloc ovens, available with stainless steel front, electric heating with thermostatic control (temp.0°/+90°C) available with heights of 500 mm and 700 mm to adapt to modules with 1 or 2 chambers,
- $\circ\,$ feet for leavening cells ,
- 4 wheel kit, 2 of which with brake,
- steamer kit,
- refractory hob ,
- hood module with stainless steel front ,
- $\circ \ \ \text{refractory hob.}$

CE mark Made in Italy

600x1200x170h mm chamber

VAT escluded
Shipping to be calculed

Delivery from 8 to 15 days



TECHNO

Electric baking module for pastry, chamber mm 600x1200x270h

€ 3.912,97

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days

CODE/PICTURES		
CODE/PICTORES	DESCRIPTION	PRICE/DELIVERY
ITF-PPC	Feet for leavening cells	€ 88,83 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
Particulare del piano di cottura in materiale refrattario e delle resistenze corazzate.	Refractory floor	€ 196,10 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
ITF-KRF	4 wheel kit	€ 200,95 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
ITF-SP60/120	Painted steel support	€ 508,20 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
ITF-KPB/KPE	Hood module with stainless steel front	€ 597,69 VAT escluded Shipping to be calculed Delivery from 4 to 9 days

ITF-BPFB/BPFE



Stainless steel front leavening cell

€ 1.606,89

VAT escluded

Shipping to be calculed

VAT escluded
Shipping to be calculed
Delivery from 4 to 9 days

Delivery from 4 to 9 days













PASTFOOD

Forno elettrico modulare con camera di cottura in lamiera di acciaio alluminata di altezze diverse. Piano di cottura in refrattario o in lamiera bugnata. Elementi riscaldanti elettrici ad altissime prestazioni.



EFFICIENCY & TECHNOLOGY

O > VALVOLA REGOLABILE PER SCARICO VAPORI

ISOLAMENTO TERMICO GARANTITO

RESISTENZE CORAZZATE IN ACCIAIO INOX

P + REGOLAZIONE SEPARATA POTENZA CIELO
P = E PIANO DI COTTURA

SPORTELLO CON FINESTRA IN VETRO TEMPERATO

PASTFOOD - H27





CAPACITÀ DI CARICO PER CAMERA LOADING CAPACITY PER DECK

PFB DIMENSIONI INTERNE

Internal dimensions A/H 17 x L/W 60 x P/D 120 cm

3 Teglie 60x40 cm 3 Baking pans 60x40 cm

PFE DIMENSIONI INTERNE

Internal dimensions A/H 27 x L/W 60 x P/D 120 cm

3 Teglie 60x40 cm 3 Baking pans 60x40 cm

TECHNICAL CHART

