



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,7
net weight (Kg)	25
gross weight (Kg)	29
breadth (mm)	315
depth (mm)	450
height (mm)	555

PROFESSIONAL DESCRIPTION

MANUAL THERMAL **SEALER** for **TRAYS** , Without **MOLDS**:

- Made for packaging in **PREFORMED TRAYS** with **MAXIMUM** size of **260x190x155h mm** seal with **transparent FILM**;
- Built in **stainless steel** and **anodized aluminum** ;
- **Teflon-coated aluminum sealing plate** with **electronic temperature control** (0°-200°C);
- **Nine storable welding PROGRAMS**;
- **Acoustic** and **luminous** alarm at the end of the cycle;
- The **welding cycle** takes place with the **mold fully inserted by manually acting on the appropriate lever**;
- **The closing film is dragged automatically** by inserting the mold into the machine and is then **automatically cut at the end of the tray sealing cycle** ;
- **Film reel** maximum **dimensions** - length **220 mm** - diameter **200 mm** .

OPERATION'

- Insert the tray into the mold placed on the guides,
- Push the mold to the **BOTTOM** towards the machine by gripping the **athermic handle**,
- Start the welding cycle by manually acting on the appropriate lever,
- At the sound of the **BIP**, the mold can be removed and the tray removed.

OPTIONALS - ACCESSORIES

- **INFINITY** mould, **ADJUSTABLE** for trays, patented, **ADAPTABLE** with an operation of **3 seconds** , to **12 different FORMATS**;
- **Fixed mold** with 1 impression;

- On request: **Design of molds** for customized trays;
- **Carter** protect Film;
- **Micro-Puncher Group for film** (necessary when you want to pack very hot products that emit a lot of steam);

CE mark
Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
JP-TSM102-R	MANUAL LEVER THERMOSEALING MACHINE WITHOUT MOLD, for PREFORMED TRAYS with MAXIMUM SIZE of mm 260x195x155h, V.230/1, kw 0,7, dimensions mm 315x450x555h	

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY

JP-DA000068

Drilling Group



JPST102P-PPSS-1

Fixed mold for sealing machines



JP-DS0106

Technochef - STAMPO INFINITY 1 per Termosigillatrici mod.TSM102-R e TSS102-R



JP-DS0125

Technochef - STAMPO INFINITY 2 per Termosigillatrici mod.TSM102-R e TSS102-R



JP-DS0127

Technochef - STAMPO INFINITY 2 per Termosigillatrici mod.TSM102-R e TSS102-R



JP-DS0094

Technochef - STAMPO INFINITY PLUS per Termosigillatrici mod.TSM102-R e TSS102-R



TECHNICAL