



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,4
net weight (Kg)	36
breadth (mm)	485
depth (mm)	510
height (mm)	555

PROFESSIONAL DESCRIPTION

MANUAL THERMAL SEALER for TRAYS , Without MOLDS:

- Made **for packaging in PREFORMED TRAYS** with **MAXIMUM size of 370x280x155h mm** seal with **transparent FILM**;
- Built in **stainless steel** and **anodized aluminum** ;
- **Teflon-coated aluminum sealing plate** with **electronic temperature control (0°-200°C)**;
- **Nine storable welding PROGRAMS**;
- **Acoustic and luminous** alarm at the end of the cycle;
- The **welding cycle** takes place with the **mold fully inserted by manually acting on the appropriate lever**;
- **The closing film is automatically dragged** by inserting the mold into the machine and is then **automatically cut at the end of the tray sealing cycle** .
- **Film reel maximum dimensions** - length **380 mm** - diameter **200 mm** .

OPERATION'

- Insert the tray into the mold placed on the guides,
- Push the mold to the **BOTTOM** towards the machine by gripping the athermic handle,
- Activate the welding cycle by manually acting on the appropriate lever,
- At the sound of the BIP, the welded tray can be removed.

OPTIONALS - ACCESSORIES:

- **INFINITY mould, ADJUSTABLE** for trays, patented, **ADAPTABLE with an operation of 3 seconds** , to **12 different FORMATS**;
- **Fixed mold** with 1 impression;

- **Fixed mold** with 2 impressions;
- **Fixed mold** with 4 impressions;
- On request: **Design of molds** for customized trays;
- **Carter** protect Film;
- **Micro-Puncher group for film** (necessary when you want to pack very hot products that emit a lot of steam);

CE mark
Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
JP-TSM105-R	MANUAL LEVER THERMOSEALING MACHINE WITHOUT MOLD, for PREFORMED TRAYS with MAXIMUM SIZE of mm 370x280x155h, V.230/1, kw 1,4, dimensions mm 485x510x555h	

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY

JP-DA000097

Drilling Group



JPST105P-PPSS-1

Fixed mould with 1 IMPRESSION for models JPSTSM105-R / JPTSS105-R



JPST105P-PPSS-2

Fixed mould with 2 IMPRESSIONS for models JPSTSM105-R / JPTSS105-R



JPST105P-PPSS-4

Fixed mould with 4 IMPRESSIONS for models JPSTSM105-R / JPTSS105-R



JP-DS0071

Adjustable Mold INFINITY 2 - seals 260x190/230x190/190x137 cardboard and polypropylene trays and the 137x95 polypropylene format



JP-DS1280



Adjustable Mould INFINITY PLUS - seals 260x190/230x190/190x137 cardboard and polypropylene trays, the 137x125 cardboard size and the 137x95 polypropylene size.

JP-DS0461



Adjustable Mould INFINITY 1 Double - seals 2 trays at a time 190x137 in cardboard and polypropylene, the 137x125 format in cardboard and the 137x95 format in polypropylene.