

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,235
net weight (Kg)	233
breadth (mm)	1510
depth (mm)	800
height (mm)	1000

PROFESSIONAL DESCRIPTION

$\textbf{2-DOOR PIZZA COUNTER, with GRANITE WORKTOP and BACKREST, operating temperature -2°/+8°C, CLASS C, FORCOLD brand: \\ \textbf{2-DOOR PIZZA COUNTER, with GRANITE WORKTOP and BACKREST, operating temperature -2°/+8°C, CLASS C, FORCOLD brand: \\ \textbf{3-DOOR PIZZA COUNTER, with GRANITE WORKTOP and BACKREST, operating temperature -2°/+8°C, CLASS C, FORCOLD brand: \\ \textbf{3-DOOR PIZZA COUNTER, with GRANITE WORKTOP and BACKREST, operating temperature -2°/+8°C, CLASS C, FORCOLD brand: \\ \textbf{3-DOOR PIZZA COUNTER, with GRANITE WORKTOP and BACKREST, operating temperature -2°/+8°C, CLASS C, FORCOLD brand: \\ \textbf{3-DOOR PIZZA COUNTER, with GRANITE WORKTOP and BACKREST, operating temperature -2°/+8°C, CLASS C, FORCOLD brand: \\ \textbf{3-DOOR PIZZA COUNTER, with GRANITE WORKTOP and BACKREST, operating temperature -2°/+8°C, CLASS C, FORCOLD brand: \\ \textbf{3-DOOR PIZZA COUNTER, with GRANITE WORKTOP and BACKREST, operating temperature -2°/+8°C, CLASS C, FORCOLD brand: \\ \textbf{3-DOOR PIZZA COUNTER, with GRANITE WORKTOP and BACKREST, operating temperature -2°/+8°C, CLASS C, FORCOLD brand: \\ \textbf{3-DOOR PIZZA COUNTER, with GRANITE WORKTOP and BACKREST, operating temperature -2°/+8°C, CLASS C, CLASS C,$

- AISI 201 stainless steel structure :
- granite worktop on 3 sides;
- 2 refrigerated compartments capable of holding 600x400x70h mm loaf trays;
- operating temperature -2°/+8°C;
- o capacity 390 lt;
- ventilated refrigeration;
- ECOLOGICAL gas R600a;
- Energy CLASS C;
- **built-in removable group** for easy maintenance;
- front panel opens with key;
- circular flow of cold air so as not to directly touch the product;
- electronic temperature control with digital thermostat;
- electrical resistance around the door frame to eliminate condensation;
- $\circ \ \ \textbf{automatic defrosting} \ \text{with electric resistance and automatic control of the defrosting temperature;} \\$
- automatic evaporation of condensation water;
- anti-corrosion treated evaporator;
- insulation thickness: 60 mm;
- Max. operating temp. / Ambient humidity °c/rh +35/50%

- door with return spring;
- tool-free removable door seal;
- $\circ\;$ bottom with rounded corners;
- $\circ \ \ \text{height-adjustable stainless steel feet} \ ;$
- possibility of leaning against the wall.

Included:

• 7 pairs of door guides (no grille supplied)

CE mark

CODE	DESCRIPTION	PRICE/DELIVERY	
FC-PZ2600TN-FC	REFRIGERATED PIZZA COUNTER with 2 DOORS, GRANITE top, temperature -2°/+8°C, Ventilated, ECOLOGICAL R600a gas in Class C, V 230/1, Kw 0.235, Weight 233 Kg, dim.mm.1510x800x1000h.	€ 985,54 VAT escluded Shipping to be calculed	
		Delivery from 25 to 35 days	
TECHNICAL CARD			
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY	
FO-GRP64	Forcar - Plasticized Grid mm 600x400	€ 11,24 VAT escluded Shipping to be calculed Delivery from 4 to 9 days	
FO-GUT	Forcar - Driving Couple	€ 17,18 VAT escluded Shipping to be calculed Delivery from 4 to 9 days	
FO-GAR	Forcar - Pair of anti-tilt guides	€ 20,04 VAT escluded Shipping to be calculed Delivery from 4 to 9 days	

