



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Trifase
Volts	V 400/3 +N
frequency (Hz)	50
motor power capacity (Kw)	1,5
net weight (Kg)	120
breadth (mm)	850
depth (mm)	730
height (mm)	810

PROFESSIONAL DESCRIPTION

Automatic CUTLERY DRYER AND POLISHER on trolley:

- **built entirely in AISI 304 stainless steel ;**
- **ACTIVE CONTROL technology** that will allow you to follow the various operating phases of your cutlery dryer in a simple and intuitive way directly from the control panel;
- **the new electronic board** is equipped with an **LCD display** that allows you to view the heating and **drying cycles** and the **expected deadline for replacing the corn cob** ;
- easy to use, it involves **inserting wet cutlery into the upper chute of the machine** , to exit automatically from the front. They **slide inside an inspectable stainless steel spiral tunnel** , immersed in the high-temperature corn cob;
- corn cob is a vegetal and biodegradable product and can be used for approximately 120 working days;
- **max output: 10,000 cutlery/hour**;
- recommended for businesses with **more than 250 seats** ;
- suitable for large environments.

Included :

- 2 packs of 5kg corn cobs

Accessories/Optionals:

- Stainless steel mobile support for cutlery basket
- Cutlery basket

CE MARK
MADE IN ITALY

CODE	DESCRIPTION	PRICE/DELIVERY
TGTORNADO	AUTOMATIC CUTLERY DRYER AND POLISHER on trolley, OUTPUT 10,000 pieces of cutlery/hour, CONTINUOUS LOADING from above, AUTOMATIC CUTLERY OUTPUT on the front, V.400/3+N, Kw.1.50, dimensions mm 850x730x810h	

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY

TG501

Technochef - CORN COB PACK 5 Kg, Mod.501



TG4101

Technochef - CUTLERY COLLECTION BASKET, Mod.4101



TG-4102

Technochef - CUTLERY COLLECTION BASKET SUPPORT, Mod.4102



