



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

|                                  |          |
|----------------------------------|----------|
| <b>power supply</b>              | Monofase |
| <b>Volts</b>                     | V 230/1  |
| <b>frequency (Hz)</b>            | 50       |
| <b>motor power capacity (Kw)</b> | 0,675    |
| <b>net weight (Kg)</b>           | 117      |
| <b>gross weight (Kg)</b>         | 137      |
| <b>breadth (mm)</b>              | 1795     |
| <b>depth (mm)</b>                | 700      |
| <b>height (mm)</b>               | 950      |

#### PROFESSIONAL DESCRIPTION

**FREEZING TABLE - FREEZER, Temp.-18°/-22°C, 3 Doors and Backsplash, with Monobloc, Plug-in System, Gastronorm 1/1 (mm 530x325), ECOLOGICAL in Class E:**

- **AISI 201 stainless steel structure,**
- **ventilated refrigeration ;**
- **compartments suitable for inserting Gastronorm 1/1 grills or trays (530x325 mm);**
- **the M line is characterized by: Monobloc refrigeration unit - refrigeration group with plug-in system** characterized by easy and immediate installation or possible removal/replacement;
- **monobloc in highly thermally insulating and completely recyclable plastic material ;**
- door with return spring;
- door seal removable without tools;
- bottom with rounded corners;
- easy interchangeability of doors with two and three drawer chests;
- easily extractable drawer units with telescopic stainless steel guides;
- **electronic temperature control with digital thermostat ;**
- operating temperature -18°/-22°C;
- electric resistance around the door frame to eliminate condensation;
- **automatic defrost with electric resistance and automatic control of the defrost temperature ;**
- **automatic evaporation of condensation water ;**

- anti-corrosion treated evaporator;
- **height-adjustable stainless steel feet** ;
- **insulation thickness 60 mm** ;
- **ECOLOGICAL refrigeration unit with R290 gas** ;
- max ambient temperature/humidity: +35 °C / 55%HR;
- internal dimensions (mm): 1335 x 530 x 560h;
- external dimensions (mm): 1795 x 700 x 950h.

**Supplied :**

- n.3 GN 1/1 grids (mm530x325)
- n.3 pairs of guides.

**Options/Accessories :**


- pair of guides for GN 1/1 grill
- GN 1/1 plasticized grill
- kit of 4 wheels with a diameter of 120 mm, two of which with brakes

**CE mark**

**Made in ASIA**

| CODE                    | DESCRIPTION                                                                                                                                                                                                                                     | PRICE/DELIVERY                                                                                                    |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>FC-M-GN3200BT-FC</b> | Freezer Freezer Table, 4 Doors and Backsplash, with Monobloc, Plug-in System, capacity 417 litres, temperature -18°/-22°C, Gastronorm 1/1, ventilated, ECOLOGICAL in Class E, Gas R290, V.230 /1, Kw.0,675, Weight 117 Kg, dim.mm.1795x700x950h | <b>€ 1.134,20</b><br><i>VAT excluded</i><br><b>Shipping to be calculated</b><br><b>Delivery</b> from 8 to 15 days |

**TECHNICAL CARD**

| CODE/PICTURES                                                                                           | DESCRIPTION                                   | PRICE/DELIVERY                                                                                                |
|---------------------------------------------------------------------------------------------------------|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>FOGRP11</b><br>   | <b>GN 1/1 plasticized grid</b>                | <b>€ 8,67</b><br><i>VAT excluded</i><br><b>Shipping to be calculated</b><br><b>Delivery</b> from 4 to 9 days  |
| <b>FOCG11</b><br>    | <b>Pair of guides for GN 1/1 grid support</b> | <b>€ 11,56</b><br><i>VAT excluded</i><br><b>Shipping to be calculated</b><br><b>Delivery</b> from 4 to 9 days |
| <b>FO-RU0120</b><br> | <b>Forcar - 4 Wheel Kit, 2 with Brake</b>     | <b>€ 78,63</b><br><i>VAT excluded</i><br><b>Shipping to be calculated</b><br><b>Delivery</b> from 4 to 9 days |

