

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARE		
power supply	Monorase	
Volts	V 230/1	
frequency (Hz)	50	
motor power capacity (Kw)	0,275	
net weight (Kg)	327	
gross weight (Kg)	347	
breadth (mm)	2020	
depth (mm)	800	
height (mm)	1000	

PROFESSIONAL DESCRIPTION

REFRIGERATED PIZZA COUNTER 2 DOORS + DRAWER FOR ROLLS , operating temperature -2°/+8°C, Class C :

- structure in AISI 201 stainless steel,
- granite worktop with backsplash on 3 sides,
- $\circ~$ 2 refrigerated compartments capable of holding 600x400x70h mm loaf trays ,
- temperature -2°/+8°C;
- \circ neutral chest of drawers with 7 drawers capable of holding 7 loaf containers measuring 600x400x70h mm NOT INCLUDED,
- VENTILATED refrigeration ,
- built-in removable group for easy maintenance,
- front panel that can be opened with a key,
- circular flow of cold air so as not to directly touch the product,
- electronic temperature control with digital thermostat ,
- automatic defrosting with electric resistance,
- automatic defrost temperature control;
- $\ \, \bullet \ \, \text{automatic evaporation of condensation water} \, ; \\$
- anti-corrosion treated evaporator;
- Maximum ambient temperature: +35°C;
- o Maximum ambient humidity: 50%HR;
- ECOLOGICAL Refrigeration Group with R600a GAS;

- ENERGY CLASS C;
- insulation thickness: 60 mm;
- door with return spring;
- door seal removable without tools;
- $\circ\;$ bottom with rounded corners;
- height-adjustable stainless steel feet;
- $\circ\;$ possibility of leaning against the wall.

Included:

o n.7 pairs of door guides .

NB : Pizza loaf containers - NOT INCLUDED.

CE mark

CODE	DESCRIPTION	PRICE/DELIVERY	
FC-G-PZ2610TN-FC	REFRIGERATED PIZZA COUNTER 2 DOORS + DRAWER UNIT, granite top with splashback on 3 sides, temperature -2°/+8 °C, Ventilated, ECOLOGICAL in CLASS C, GAS R600a, V.230/1, Kw.0,275, Weight 327	€ 1.376,46 VAT escluded Shipping to be calculed	
	Kg, dim.mm.2020x800x1000h	Delivery from 25 to 35 days	
TECHNICAL CARD			
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY	
FO-GRP64	Forcar - Plasticized Grid mm 600x400	€ 11,24 VAT escluded Shipping to be calculed Delivery from 4 to 9 days	
FO-GUT	Forcar - Driving Couple	€ 17,18 VAT escluded Shipping to be calculed Delivery from 4 to 9 days	
FO-GAR	Forcar - Pair of anti-tilt guides	€ 20,04 VAT escluded Shipping to be calculed Delivery from 4 to 9 days	

