



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,275
net weight (Kg)	327
gross weight (Kg)	347
breadth (mm)	2020
depth (mm)	800
height (mm)	1000

PROFESSIONAL DESCRIPTION

REFRIGERATED PIZZA COUNTER 2 DOORS + DRAWER UNIT (Not refrigerated) for small loaves , operating temperature -2°/+8°C, Class C :

- **structure in AISI 201 stainless steel ,**
- **granite worktop** with backsplash on 3 sides,
- **2 refrigerated compartments** capable of holding **600x400x70h mm loaf trays ,**
- temperature -2°/+8°C;
- **neutral chest of drawers with 7 drawers (NOT REFRIGERATED)** capable of holding 7 loaf containers measuring 600x400x70h mm - **NOT INCLUDED,**
- **VENTILATED refrigeration ,**
- built-in removable group for easy maintenance,
- key-opening front panel,
- **circular flow of cold air** so as not to directly touch the product,
- **electronic temperature control with digital thermostat ,**
- **automatic defrosting** with electric resistance,
- **automatic defrost temperature control ;**
- **automatic evaporation of condensation water ;**
- anti-corrosion treated evaporator;
- Maximum ambient temperature: +35°C;

- Maximum ambient humidity: 50%HR;
- **ECOLOGICAL Refrigeration Unit with R600a GAS ;**
- **ENERGY CLASS C;**
- insulation thickness: 60 mm;
- door with return spring;
- tool-free removable door seal;
- bottom with rounded corners;
- **height-adjustable stainless steel feet ;**
- possibility of leaning against the wall.

Included:



- n.7 pairs of door guides .

NB : Pizza loaf containers - NOT INCLUDED.

Made in Asia

CE mark

CODE	DESCRIPTION	PRICE/DELIVERY
FC-G-PZ2610TN-FC	REFRIGERATED PIZZA COUNTER 2 DOORS + 7 Non-Refrigerated Drawers, granite top with splashback on 3 sides, temperature -2°/+8 °C, Ventilated, ECOLOGICAL in CLASS C, GAS R600a, V.230/1, Kw.0,275, Weight 327 Kg, dim.mm.2020x800x1000h	€ 1.376,46 <i>VAT escluded</i> Shipping to be calculated Delivery from 25 to 35 days

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
FO-GRP64 	Forcar - Plasticized Grid mm 600x400	€ 11,24 <i>VAT escluded</i> Shipping to be calculated Delivery from 4 to 9 days
FO-GUT 	Forcar - Driving Couple	€ 17,18 <i>VAT escluded</i> Shipping to be calculated Delivery from 4 to 9 days
FO-GAR 	Forcar - Pair of anti-tilt guides	€ 20,04 <i>VAT escluded</i> Shipping to be calculated Delivery from 4 to 9 days

