

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



power supply	Trifase
Volts	V 400/3 +N
frequency (Hz)	50
net weight (Kg)	127
gross weight (Kg)	150
breadth (mm)	840
depth (mm)	920

PROFESSIONAL DESCRIPTION

height (mm) 1155

ELECTRIC CONVECTION OVEN for 10 GASTRONORM trays (325x530 mm) or PASTRY trays (600x400 mm), NERONE line, version with MANUAL CONTROLS, available with and without HUMIDIFICATION DEVICE:

- made of stainless steel: internal chamber and rack, cover and visible components, fan casing and fan;
- stainless steel cooking chamber with rounded corners;
- o cooking chamber dimensions 680x480x840h;
- capacity 10 Gastro-Norm 1/1 or 600x400 mm trays (not included), step 80 mm;
- mechanical control panel: fast and precise, LED indicator, robust and easy to maintain, reliable according to IPX3 protection standards;
- possibility to adjust
- o cooking chamber temperature,
- o cooking time,
- water injection into the cooking chamber;
- $\circ\;$ ventilation in the cooking chamber with reversing fan ;
- $\circ~$ door opening to the right (left on request);
- $\circ\;$ tempered glass, the internal one with low emissivity;
- $\circ \ \ \textbf{door handle} \ \text{with safety opening system, double-click opening;} \\$
- o adjustable non-slip feet;
- $\circ \ \ \text{internal lighting} \ ,$
- door hinges mounted on bronze bushings to ensure a longer life of the opening mechanism;
- condensation water drainage system of the door and chamber;

- cold door with double glass (the internal one can be opened like a compass to facilitate cleaning operations and reduce the EXTERNAL TEMPERATURE to a minimum);
- magnetic switch for controlling the door opening status;
- The versatility of the NERONE MID line allows for simple and complete use for any type of professional kitchen, both in the gastronomy and pastry sectors. Thanks to the stainless steel guides inside the oven, trays, grills, basins and plates can be inserted, thus ensuring 360° use of the product.

CE mark Made in ITALY

AVAILABLE MODELS

TD-FEM10NEMIDV



ELECTRIC CONVECTION OVEN, capacity 10 Gastro-Norm 1/1 or 600x400 mm trays (not included), MECHANICAL CONTROLS, V.400/3 + N, Kw.12.7, Weight 127 Kg, dim.mm.840x920x1155h

€ 2.144,53

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days

TD-FEM10NEMIDVH20



ELECTRIC CONVECTION OVEN, with HUMIDIFIER, capacity 10 GN 1/1 or mm 600x400 trays (not included), MECHANICAL CONTROLS, V.400/3 + N, Kw.12.7, Weight 127 Kg, dim.mm.840x920x1155h

€ 2.156,80

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days

TECHNICAL CARD

CO			

DESCRIPTION

PRICE/DELIVERY

TD-FOGRGPS



Chromed pastry grid, size 600x400mm

€ 36,13

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days

TD-FOT60X40FO



Micro-perforated aluminum baking tray for pastry, dim.mm.600x400x20h

€ 36,13

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

TD-FOTGLGNAL



Aluminum tray GN 1/1, dim.mm.530x325x11h

€ 39,74

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

TD-FOT60X40BA



5-channel baguette tray, dim.mm.600x400x40h

€ 50,09

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

TD-NEFOB

Support for NERONE MID ovens, with 6 pairs of guides for GN 1/1 and 600x400mm grids and trays, dim.mm 840x770x610

€ 257,07

VAT escluded
Shipping to be calculed

Delivery from 8 to 15 days



TD-KITPIETRANEPS

TO-KITPIETRANEPS

Refractory stone plate, dim.mm.600x400x15

€ 272,74

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days

TD-NEFOM



Support for NERONE MID ovens, with 10 pairs of guides for GN 1/1 and 600x400mm grids and trays, dim.mm 840x770x850h

€ 280,43

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days







