

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



| TECHNICAL CARD | | |
|---------------------------|----------|--|
| power supply | Monofase | |
| Volts | V 230/1 | |
| frequency (Hz) | 50 | |
| motor power capacity (Kw) | 0,54 | |
| net weight (Kg) | 155 | |
| breadth (mm) | 620 | |
| depth (mm) | 620 | |
| height (mm) | 1860 | |

PROFESSIONAL DESCRIPTION

REFRIGERATED PASTRY SHOWCASE 1 DOOR, CURVE Line, with 4 DISPLAY SIDES, 6 ROTATING GLASS SHELVES, capacity 360 litres, temperature $+4^{\circ}/+10^{\circ}C$:

- external structure in silver anodized aluminium;
- showcase built using **insulating double glazing** , compliant with EN UNI 1279;
- exposure on 4 sides;
- 6 rotating glass shelves Ø 452;
- capacity 360 litres;
- \circ operating temperature +4°/+10°C;
- "sensitive touch" control panel with a unique and exclusive design, the result of a long IT and design study;
- $\circ \ \ \textbf{ventilated refrigeration} \ ;$
- automatic defrost;
- LED lighting as standard on both sides of the internal compartment;
- lumen/meter: 2 x 1200 lm;
- humidity: 75%;
- compressors and the touch screen thermostat are of the latest generation, guaranteeing high efficiency and low absorption, with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition.

Accessories/Options:

locking with key

- o glass shelf
- $\circ\;$ support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- o mirror glass
- o additional LED
- wooden crate packaging
- $\circ~$ finishes and colours: RAL of your choice $\,$

CE mark Made in Italy

| CODE | DESCRIPTION | PRICE/DELIVERY |
|---|--|-----------------|
| SL-CPS350R | Refrigerated pastry display case with 1 door, CURVE | PRICE/DELIVER I |
| | line, with 4 display sides, 6 rotating glass shelves, capacity 360 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 155 kg, dim.mm.620x620x1860h | |
| | | |
| TECHNICAL CARD | | |
| CODE/PICTURES | DESCRIPTION | PRICE/DELIVERY |
| SL-KV | Suction Cups Kit | |
| SL-KSVG | Support kit for glass and grids | |
| SL-RPV350 | Glass shelf | |
| SL-KP25/80 | Adjustable Feet Kit | |
| SL-LED | Additional Led | |
| SL-CC25/80 | Key closure | |
| SL-IMLEG25/35 | Wooden case packing | |
| SL-RAL | Finish and Colors | |
| FINITURE E COLOR | | |
| **AA. o sceleo 89. G d chouse and sceleo 80. It of stone | | |
| | | |
| | | |
| | | · |

