

## TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD	
power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,54
net weight (Kg)	170
breadth (mm)	720
depth (mm)	620
height (mm)	1860

## PROFESSIONAL DESCRIPTION

REFRIGERATED PASTRY SHOWCASE 1 DOOR, CURVE Line, with 4 DISPLAY SIDES, 5 RECTANGULAR GLASS SHELVES, capacity 427 litres, temperature  $+4^{\circ}/+10^{\circ}C$ :

- external structure in silver anodized aluminium;
- showcase built using **insulating double glazing** , compliant with EN UNI 1279;
- exposure on 4 sides;
- 5 rectangular glass shelves measuring 565x420 mm;
- capacity 427 litres;
- $\circ$  operating temperature +4°/+10°C;
- " sensitive touch " control panel with a unique and exclusive design, the result of a long IT and design study;
- $\circ \ \ \textbf{ventilated refrigeration} \ ;$
- automatic defrost;
- LED lighting as standard on both sides of the internal compartment;
- lumen/meter: 2 x 1200 lm;
- humidity: 75%;
- compressors and the touch screen thermostat are of the latest generation, guaranteeing high efficiency and low absorption, with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition.

## Accessories/Options:

locking with key

- o glass shelf
- $\circ\;$  support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- o mirror glass
- o additional LED
- wooden crate packaging
- $\circ~$  finishes and colours: RAL of your choice

## CE mark Made in Italy

DESCRIPTION	PRICE/DELIVERY	
Refrigerated pastry display case with 1 door, CURVE line, with 4 display sides, 5 rectangular glass shelves, capacity 427 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 170 kg, dim.mm.720x620x1860h	PRICE/DELIVERY	
TECHNICAL CARD		
DESCRIPTION	PRICE/DELIVERY	
Suction Cups Kit		
Support kit for glass and grids		
Adjustable Feet Kit		
Glass shelf		
Additional Led		
Key closure		
Mirror glass		
Wooden case packing		
Finish and Colors		
	Refrigerated pastry display case with 1 door, CURVE line, with 4 display sides, 5 rectangular glass shelves, capacity 427 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 170 kg, dim.mm.720x620x1860h  TECHNICAL CARD  DESCRIPTION  Suction Cups Kit  Support kit for glass and grids  Adjustable Feet Kit  Glass shelf  Additional Led  Key closure  Mirror glass  Wooden case packing	

