

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



power supply	Monofase	
Volts	V 230/1	
frequency (Hz)	50	
motor power capacity (Kw)	0,26	
net weight (Kg)	140	
gross weight (Kg)	166	
breadth (mm)	1510	
depth (mm)	800	
height (mm)	860	

PROFESSIONAL DESCRIPTION

2 DOOR REFRIGERATED TABLE with NEUTRAL DRAWER, capacity 390 litres, temperature +2°C /+8°C, ECOLOGICAL in Class B:

- $\circ~$ AISI 304 stainless steel structure,
- ventilated refrigeration;
- Compartments suitable for inserting grids or pastry/pizza trays (600x400 mm);
- 1 neutral drawer above the technical compartment;
- built-in **refrigeration unit removable** for easy maintenance;
- opening front panel with key;
- circular flow of the cold air so as not to directly touch the product;
- electronic temperature control with **digital thermostat**;
- electric **resistance** around **the door frame** to eliminate condensation;
- automatic defrost with electric resistance and automatic temperature control defrost temperature;
- automatic evaporation of condensation water;
- anti-corrosion treated evaporator;
- ECOLOGICAL refrigeration unit with R290 gas;
- energy class B;
- maximum ambient temperature: +32°C;
- maximum temperature humidity: 55% HR;

- o insulation thickness 60 mm :
- door with return spring;
- door seal removable without tools;
- bottom with rounded corners;
- height-adjustable feet in Aisi 304 stainless steel;
- **stainless** steel **backrest** , possibility of leaning against the wall;
- internal dimensions 1052x630x589h mm;
- o external dimensions 1510x800x860h mm.

Supplied

- o n.2 grids of 400x600 mm
- o n.4 guides.

Options/Accessories :

- $\circ~$ pair of guides to support trays (code FOGUT);
- $\circ\;$ pair of anti-tipping guides for grill (code FOGAR);
- kit of 4 wheels with a diameter of 120 mm, two of which with brakes (code FORUO120);
- plasticized grid (code FOGRP64);
- rear splashback on the top (code ALZ2100P).

NOTE:

IN THE COMPARTMENT NEAR THE REFRIGERATION UNIT IT IS RECOMMENDED TO INSTALL ONLY THE CHEST OF DRAWERS WITH 2 DRAWERS, so as not to obstruct the circulation of the cold.

CE MARK MADE IN ASIA

CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-PA2100TN	Refrigerated Table 2 Doors with neutral drawer, Professional, Pastry Trays 600x400 mm, capacity 390 litres, temperature +2°/+8°C, ventilated refrigeration, ECOLOGICAL in Class B, Gas R290, V.230/1, Kw.0, 26, weight 140 kg, dim.mm.1510x800x860h	€ 1.037,85 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
FO-GRP64	Forcar - Plasticized Grid mm 600x400	€ 11,24 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
FOALZ2100P	Rear upstand on the top for Mod. FOPA2100TN	€ 22,90 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
FO-GUT	Forcar - Driving Couple	€ 17,18 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
FO-GAR	Forcar - Pair of anti-tilt guides	€ 20,04 VAT escluded Shipping to be calculed Delivery from 4 to 9 days







