

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



### **TECHNICAL CARD**

| power supply              | Monofase |
|---------------------------|----------|
|                           | V 230/1  |
| frequency (Hz)            | 50       |
| motor power capacity (Kw) | 0,26     |
| net weight (Kg)           | 140      |
| gross weight (Kg)         | 166      |
| breadth (mm)              | 1510     |
| depth (mm)                | 800      |
| height (mm)               | 860      |
|                           |          |

#### PROFESSIONAL DESCRIPTION

2 DOOR REFRIGERATED TABLE with NEUTRAL DRAWER, capacity 390 litres, temperature +2°C /+8°C, ECOLOGICAL in Class B:

- AISI 304 stainless steel structure,
- ventilated refrigeration ;
- Compartments suitable for inserting grids or pastry/pizza trays (600x400 mm);
- 1 neutral drawer above the technical compartment ;
- built-in refrigeration unit removable for easy maintenance;
- $\circ~$  opening front panel with key ;
- circular flow of the cold air so as not to directly touch the product;
- electronic temperature control with digital thermostat ;
- electric resistance around the door frame to eliminate condensation;
- automatic defrost with electric resistance and automatic temperature control defrost temperature ;
- $\circ~$  automatic evaporation of condensation water ;
- anti-corrosion treated evaporator;
- $\circ~$  ECOLOGICAL refrigeration unit with R290 gas ;
- energy class B ;
- maximum ambient temperature: +32°C;
- maximum temperature humidity: 55% HR;

## • insulation thickness 60 mm ;

- door with **return spring** ;
- door seal removable without tools;
- bottom with **rounded corners** ;
- height-adjustable feet in Aisi 304 stainless steel ;
- **stainless** steel **backrest** , possibility of leaning against the wall;
- internal dimensions 1052x630x589h mm;
- external dimensions 1510x800x860h mm.

#### Supplied :

- $\circ~$  n.2 grids of 400x600 mm
- n.4 guides.

## **Options/Accessories** :

- pair of guides to support trays ( code FOGUT );
- pair of anti-tipping guides for grill ( code FOGAR );
- kit of 4 wheels with a diameter of 120 mm, two of which with brakes ( code FORUO120 );
- plasticized grid ( code FOGRP64 );
- rear splashback on the top ( code ALZ2100P ).

#### NOTE:

IN THE COMPARTMENT NEAR THE REFRIGERATION UNIT IT IS RECOMMENDED TO INSTALL ONLY THE CHEST OF DRAWERS WITH 2 DRAWERS, **so as not to obstruct the circulation of the cold.** 

# CE MARK

## MADE IN ASIA

| CODE          | DESCRIPTION   | PRICE/DELIVERY  |
|---------------|---|---|
| FO-G-PA2100TN | Refrigerated Table 2 Doors with neutral drawer,<br>Professional, Pastry Trays 600x400 mm, capacity 390<br>litres, temperature +2°/+8°C, ventilated refrigeration,<br>ECOLOGICAL in Class B, Gas R290, V.230/1, Kw.0, 26,<br>weight 140 kg, dim.mm.1510x800x860h | € 1.037,85<br>VAT escluded<br>Shipping to be calculed<br>Delivery from 8 to 15 days |
|               |   |   |
|               | TECHNICAL CARD  |   |
| CODE/PICTURES | DESCRIPTION   | PRICE/DELIVERY  |
| FO-GRP64      | Forcar - Plasticized Grid mm 600x400  | € 11,24<br>VAT escluded<br>Shipping to be calculed                                  |
|               |   | <b>Delivery</b> from 4 to 9 days  |
| FOALZ2100P    | Rear upstand on the top for Mod. FOPA2100TN   | € 22,90<br>VAT escluded<br>Shipping to be calculed<br>Delivery from 8 to 15 days    |
| FO-GUT        | Forcar - Driving Couple   | € 17,18<br>VAT escluded<br>Shipping to be calculed<br>Delivery from 4 to 9 days     |
| FO-GAR        | Forcar - Pair of anti-tilt guides   | € 20,04<br>VAT escluded<br>Shipping to be calculed<br>Delivery from 4 to 9 days     |
| FO-RUO120     | Forcar - 4 Wheel Kit, 2 with Brake  | € 78,63<br>VAT escluded<br>Shipping to be calculed                                  |





