



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	7,5
Thermal input (Kw)	21,5
net weight (Kg)	80
gross weight (Kg)	90
breadth (mm)	800
depth (mm)	700
height (mm)	900

PROFESSIONAL DESCRIPTION

4 BURNERS GAS COOKER on GN 2/1 ELECTRIC OVEN, MACROS 700 line, ECO POWER series :

- **worktop and front panels in AISI 304 stainless steel ;**
- **burners entirely in cast iron , guaranteed for life ,** operated by a valved tap and fixed liquid-tight to the deep drawn **AISI 304 steel hob ;**
- **safety thermocouple and burner pilot flame protected by a brass cover** for easy cleaning and maintenance;
- **static electric oven entirely made of stainless steel , with 4-level supports for GN 2/1 grids/trays;**
- **grill with salamander function** in the upper part and thermostat that allows accurate **temperature regulation from 50 to 270 °C ;**
- **line indicator and temperature indicator ;**
- **door and inner door pressed in AISI 304 stainless steel ;**
- **high-resistance door handle** in 20/10 thick **AISI 304 steel ;**
- adjustable feet;
- **2 year warranty .**


Supplied :

- 1 anti-tipping oven rack

CE mark
Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
BS-G7F4PW+FE	GAS COOKER 4 BURNERS on ELECTRIC OVEN GN 2/1, BERTO'S, MACROS 700 line, ECO POWER series, thermal power Kw.21,5 + electric power Kw 7,5, Weight 80 Kg, dim.mm.800x700x900h	€ 2.201,19 <i>VAT excluded</i> Shipping to be calculated Delivery from 15 to 25 days




macros 700




	n.	1	3
	Ø mm	90	120
	kW	3,5	6
	kcal/h	3.010	5.160
	Btu/h	11.942	20.472


	GN	2/1
	mm	530 x 650 x 4 pos.
TOT.	kW	7,5 (4,5 + 3)



	kW	21,5
	kcal/h	18.490
TOT.	Btu/h	73.358

	G30/G31	kg/h	1,70
	G20	m³/h	2,28
	G25	m³/h	2,65



macros 700


macros 700

ECO POWER



3,5 kW



6 kW

15
models