



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>Thermal input (Kw)</b>	35,8
<b>net weight (Kg)</b>	146
<b>gross weight (Kg)</b>	161
<b>breadth (mm)</b>	1200
<b>depth (mm)</b>	700
<b>height (mm)</b>	900

#### PROFESSIONAL DESCRIPTION

**COMBINED KITCHEN with GAS HOB and 4 BURNERS on GN 2/1 GAS OVEN, MACROS 700 line , HIGH POWER series :**

- **worktop and front and side panels in AISI 304 stainless steel ;**
- **solid plate in high thickness steel** with characteristics of **high resistance** and **heat distribution in differentiated thermal zones** : maximum temperature in the center and decreasing towards the edges;
- **7 kW central burner with optimized combustion** , operated by a valved tap with safety thermocouple and protected pilot light;
- **piezoelectric ignition** with silicone protection;
- **open fire burners entirely in nickel-plated cast iron with single and double crown, high power** equipped with pilot flame and guaranteed for life, operated by a valved tap with safety thermocouple and protected pilot light;
- **open fire power n°x kW : 2 x 3.5 kW + 2 x 7 kW ;**
- **cast iron grills ;**
- maximum cleaning and maintenance guaranteed by the complete removability of both the burner body and the burner trays;
- **static gas oven equipped with pilot flame** entirely **made of stainless steel** , with **4-level supports for grids and GN 2/1 trays** (530x650 mm);
- **oven burner with self-stabilised flame** and **thermostat adjustable from 160 to 280 °C .**
- **oven power kW 7.8 ;**
- molded door front without gasket for greater insulation and cleaning;
- door and inner door pressed in AISI 304 stainless steel;
- high-resistance door handle in 20/10 thick AISI 304 steel;
- adjustable feet;
- **2 year warranty .**

**Supplied :**

- piezoelectric oven ignition


- 1 anti-tipping oven rack

Accessories/Options :

- compartment door


CE mark  
Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
BS-G7T4P4F+FG	COMBINED KITCHEN with GAS HOB and 4 BURNERS on GN 2/1 GAS OVEN, BERTOS, MACROS 700 Line, HIGH POWER Series, total thermal power 35.8 kW, weight 146, dim.mm.1200x700x900h	




macros 700

highpower




n.	2	2	TP
Ø mm	80	110	70
kW	3,5	7	7
kcal/h	3.010	6.020	6.020
Btu/h	11.942	23.884	23.884




GN	2/1
mm	530 x 650 x 4 pos.
kW	7,8
kcal/h	6.708
Btu/h	26.614

TOT.

kW	35,8
kcal/h	30.788
Btu/h	122.150



G30/G31	kg/h	2,82
G20	m³/h	3,79
G25	m³/h	4,41




900

35 3/8"


1200

47 1/4"



macros 700

highpower



1040

900

140


800

400

100

450

346



700

280

275

195

367

430

367

1200

257,75 (10 1/2")

26 Ø (1 1/2")

7 kW

3 kW

TP


Ø 112,5

## Macros 700

### HIGH POWER



3,5 kW



7 kW