



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

|                        |            |
|------------------------|------------|
| <b>power supply</b>    | Trifase    |
| <b>Volts</b>           | V 400/3 +N |
| <b>frequency (Hz)</b>  | 50         |
| <b>net weight (Kg)</b> | 42         |
| <b>breadth (mm)</b>    | 400        |
| <b>depth (mm)</b>      | 700        |
| <b>height (mm)</b>     | 900        |

#### PROFESSIONAL DESCRIPTION

##### **ELECTRIC COOKER WITH 2 INFRARED ZONES on OPEN CABINET, MACROS 700 Line, INFRARED Series :**

- **worktop and front panels in AISI 304 stainless steel ;**
- **6 mm thick glass ceramic top ;**
- **electrical resistors capable of reaching high temperatures ( 500 °C ) heat the hob by radiation ;**
- **the areas are highlighted by special silk-screen printing** which allows correct positioning of the pans;
- **2 square areas of 230 x 230 mm each ;**
- **cooking zone power n°x Kw: 2 x 3.2 ;**
- **after each individual zone is turned off, a light signals the residual heat up to 60 °C , to safeguard the operator's safety;**
- high-resistance handle in 20/10 thick AISI 304 steel;
- adjustable feet;
- **2 year warranty .**

##### **Accessories/Options :**

- compartment door

##### **CE mark**

**Made in Italy**

| CODE                | DESCRIPTION  | PRICE/DELIVERY |
|---------------------|--|----------------|
| <b>BS-E7P2M/VTR</b> | ELECTRIC COOKER WITH 2 INFRARED ZONES on OPEN CABINET, BERTOS, MACROS 700 Line, INFRARED |                |

Series, with 2 SQUARE zones measuring 230x230 mm,  
INDEPENDENT CONTROLS, V.400/3+N, Kw.6.4, Weight  
42 Kg, dim .mm.400x700x900h



macros 700

INFRARED



INFRARED

3,2 kW ▶ 230x230 mm  
3,2 kW



macros 700

INFRARED



|    |           |
|----|-----------|
| n. | 2         |
| mm | 230 x 230 |
| kW | 3,2       |

380 - 415 V3N~



TOT. kW 6,4





MACROS 700

INFRARED

