



TECHNICAL CARD

power supply	Trifase
Volts	V 400/3 +N
frequency (Hz)	50
net weight (Kg)	100
breadth (mm)	800
depth (mm)	700
height (mm)	900

PROFESSIONAL DESCRIPTION

ELECTRIC COOKER 4 INFRARED ZONES on ELECTRIC OVEN GN 2/1, MACROS 700 Line, INFRARED Series :

- **worktop and front panels in AISI 304 stainless steel ;**
- **6 mm thick glass ceramic top ;**
- electrical resistors capable of reaching **high temperatures (500 °C) heat the hob by radiation ;**
- **the areas are highlighted by special silk-screen printing** which allows correct positioning of the pans;
- **4 square zones of 230 x 230 mm each ;**
- **cooking zone power n° x Kw: 4 x 3.2 ;**
- after each individual zone is turned off, a **light signals the residual heat up to 60 °C** , to safeguard the operator's safety;
- **static electric oven** entirely made of **stainless steel** , with **4-level supports for GN 2/1 grids/trays (530x650 mm) ;**
- **grill with salamander function** in the upper part and **thermostat** that allows accurate **temperature regulation from 50 to 270 °C ;**
- **oven power 7.5 kW ;**
- **line indicator** and **temperature indicator ;**
- door and inner door pressed in AISI 304 stainless steel;
- high-resistance door handle in 20/10 thick AISI 304 steel;
- adjustable feet;
- **2 year warranty .**

Supplied :

- 1 anti-tipping oven rack

CE mark

Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
BS-E7P4/VTR+FE	ELECTRIC COOKER 4 INFRARED ZONES on ELECTRIC OVEN GN 2/1, BERTOS, MACROS 700 line, INFRARED Series, with 4 SQUARE zones measuring 230x230 mm, INDEPENDENT CONTROLS, V.400/3+N, Kw.20.3, Weight 100 Kg, dim.mm.800x700x900h	


















230x230 mm

530 x 650 mm x 4 pos.

n.	4
mm	230 x 230
kW	3,2
GN	2/1
mm	530 x 650 x 4 pos.
kW	7,5 (4,5+3)
MULTIFUNCTION	
380 - 415 V3N~	
TOT.	kW 20,3



900 35 31 1/2

700 27 1/2

800 31 1/2



macroS 700

INFRARED

