

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD		
power supply	Monofase	
Volts	V 230/1	
frequency (Hz)	50	
motor power capacity (Kw)	0,58	
net weight (Kg)	134	
gross weight (Kg)	146	
breadth (mm)	450	
depth (mm)	620	
height (mm)	1860	

PROFESSIONAL DESCRIPTION

FREEZING DISPLAY CABINET for ICE CREAM SHOP, 1 door, CURVE line, 4 display sides and 6 rectangular shelves, temperature -15°/-25°C, STATIC refrigeration:

- external structure in silver anodized aluminium;
- showcase built using insulating double glazing, compliant with EN UNI 1279;
- exposure on 4 sides;
- 6 FIXED rectangular shelves measuring 295x460 mm;
- capacity 250 litres;
- o perating temperature -15°/-25°C;
- "sensitive touch" control panel with a unique and exclusive design, the result of a long IT and design study;
- \circ static refrigeration with 6 FIXED evaporating grilled shelves;
- o manual defrost;
- LED lighting as standard on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- ∘ LED lighting (N° x Lm): 2 x 1200;
- compressor and touch screen thermostat are of the latest generation, guaranteeing high efficiency and low absorption, with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition.

Accessories/Options:

o locking with key

- $\circ\;$ support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- o additional LED
- wooden crate packaging
- $\circ~$ finishes and colours: RAL of your choice $\,$

CE mark Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
SL-CGL250S	Freezer-Freezer display case for ice cream parlor 1 door, temperature -15°/-25°C, static refrigeration, Curve Line, with 4 display sides, 6 rectangular shelves measuring 295x460 mm, capacity 250 lt, V.230/1, Kw.0 ,58, Weight 134 Kg, dim.mm.450x620x1860h	
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
SL-KV	Suction Cups Kit	
SL-KSVG	Support kit for glass and grids	
SL-RPV250	Glass shelf	
SL-KP25/80	Adjustable Feet Kit	
SL-LED	Additional Led	
SL-CC25/80	Key closure	
SL-VSP250	Mirror glass	
SL-IMLEG25/35	Wooden case packing	
SL-RAL TICHE FINTURE E COLOR 1984 a seele Bit of concer M. As strong	Finish and Colors	



