

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,4
net weight (Kg)	348
gross weight (Kg)	372
breadth (mm)	1750
depth (mm)	620
height (mm)	1860

PROFESSIONAL DESCRIPTION

FREEZING DISPLAY CABINET for ICE CREAM SHOP with 2 doors, CURVE line, 4 display sides and 12 rectangular shelves, STATIC refrigeration, temperature -15°/-25°C:

- external structure in silver anodized aluminium;
- showcase built using insulating double glazing, compliant with EN UNI 1279;
- exposure on 4 sides;
- 12 FIXED rectangular shelves measuring 734x460 mm;
- capacity 1082 litres;
- operating temperature -15°/-25°C;
- "sensitive touch" control panel with a unique and exclusive design, the result of a long IT and design study;
- \circ static refrigeration with 12 FIXED evaporating GRILLED SHELVES;
- manual defrost;
- LED lighting as standard on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- \circ LED lighting (N° x Lm): 2 x 1200;
- compressor and touch screen thermostat are of the latest generation, guaranteeing high efficiency and low absorption, with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition.

Accessories/Options:

- locking with key
- $\circ\;$ support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- o additional LED
- wooden crate packaging
- $\circ~$ finishes and colours: RAL of your choice $\,$

CE mark Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
SL-CGL1200S/S	Freezer-Freezer display case for ice cream shop with 2 doors, temperature -15°/-25°C, static refrigeration, Curve Line, with 4 display sides, 12 rectangular shelves measuring 734x460 mm, capacity 1082 litres, V.230/1, Kw. 0.7+0.7, weight 348 kg, dim.mm.1750x620x1860h	
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
SL-KV	Suction Cups Kit	
SL-KSVG	Support kit for glass and grids	
SL-RPV60/120	Glass shelf	
SL-LED	Additional Led	
SL-KP70/90/12	Adjustable Feet Kit	
SL-CC70/90/12	Key closure	
SL-VSP120	Mirror Glass	
SL-IMLEG120	Wooden case packing	
SL-RAL/70/90/120 FINTURE E COLOR **Ale sealth FAX screen **Ale screen **Ale sealth FAX screen **Ale screen	Finish and Colors	



