



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	1,5
<b>net weight (Kg)</b>	329
<b>gross weight (Kg)</b>	356
<b>breadth (mm)</b>	1380
<b>depth (mm)</b>	620
<b>height (mm)</b>	1860

#### PROFESSIONAL DESCRIPTION

**MULTI-TEMPERATURE DISPLAY CABINET from +5° to -20°C for PASTRY SHOP, 2 doors, CURVE line, 4 display sides and 5 grilled shelves + 5 rotating shelves, ventilated refrigeration :**










- **external structure** in silver anodized aluminium ;
- **showcase built using insulating double glazing** , compliant with EN UNI 1279;
- **exposure on 4 sides** ;
- **5 ADJUSTABLE GRILLED SHELVES 565x445 mm + 5 ROTATING GLASS SHELVES Ø 452 mm** ;
- **capacity 848 litres** ;
- **operating temperature +5°/-20°C** ;
- **“sensitive touch” control panel** with a unique and exclusive design, the result of a long IT and design study;
- **refrigeration type : ventilated 2 temperatures** ;
- defrost type: automatic, hot gas;
- **LED lighting as standard** on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- LED lighting (N° x Lm): 2 x 1200;
- **compressor** and **touch screen thermostat** are of the latest generation, guaranteeing high efficiency and low absorption, with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition.

**Accessories/Options:**

- locking with key
- support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- additional LED
- wooden crate packaging
- finishes and colours: RAL of your choice

**CE mark**  
**Made in Italy**

CODE	DESCRIPTION	PRICE/DELIVERY
<b>SL-CGL900G2T/R2T</b>	Multi-temperature display case from +5° to -20°C for 2-door pastry shops, ventilated refrigeration, Curve Line, with 4 display sides, 5 grilled shelves + 5 rotating shelves, capacity 848 liters, V.230/1, Kw.0.75 +0.75, weight 329 kg, dim.mm.1380x620x1860h	

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>SL-KV</b> 	<b>Suction Cups Kit</b>	
<b>SL-KSVG</b> 	<b>Support kit for glass and grids</b>	
<b>SL-RPV45/90/130</b> 	<b>Glass shelf</b>	
<b>SL-LED</b> 	<b>Additional Led</b>	
<b>SL-KP70/90/12</b> 	<b>Adjustable Feet Kit</b>	
<b>SL-CC70/90/12</b> 	<b>Key closure</b>	
<b>SL-VSP70/90</b> 	<b>Mirror glass</b>	
<b>SL-IMLEG70/90</b> 	<b>Wooden case packing</b>	
<b>SL-RAL/70/90/120</b> 	<b>Finish and Colors</b>	



Curve

CGL 900 G/R 2T



+5°-20° C



40% - 75%  
Umidità



2 x 1200 lm



Sbrinatorio  
automatico



Sbrinatorio  
a gas caldo



Refrigerazione  
ventilata  
2 temperature



230 V - 50



LAYOUT



VOLUME R

848

RIPIANI


5 (565 x 445) 5 (Ø 452)

DIMENSIONI mm - kg

1380 x 620 x 1860 - 329

COMPRESSORE


750 + 750 Watt



900 R/2T



900 S/V



VISTA LATERALE

Side view / Seitenansicht / Vue latérale