

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	2,25
net weight (Kg)	478
gross weight (Kg)	511
breadth (mm)	2050
depth (mm)	620
height (mm)	1860

PROFESSIONAL DESCRIPTION

MULTI-TEMPERATURE DISPLAY CABINET from +5° to -20°C for PASTRY SHOP, 3 doors, CURVE line, 4 display sides and 15 rectangular shelves, ventilated refrigeration :

- external structure in silver anodized aluminium;
- showcase built using insulating double glazing, compliant with EN UNI 1279;
- exposure on 4 sides;
- 15 ADJUSTABLE GRILLED SHELVES measuring 565x445 mm;
- capacity 1388 litres;
- operating temperature +5°/-20°C;
- "sensitive touch" control panel with a unique and exclusive design, the result of a long IT and design study;
- refrigeration type: ventilated 2 temperatures;
- defrost type: automatic, hot gas;
- LED lighting as standard on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- ∘ LED lighting (N° x Lm): 2 x 1200;
- compressor and touch screen thermostat are of the latest generation, guaranteeing high efficiency and low absorption, with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition.

Accessories/Options:

- locking with key
- $\circ\;$ support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- o additional LED
- wooden crate packaging
- $\circ~$ finishes and colours: RAL of your choice $\,$

CE mark Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
SL-CGL1300G/G/G2T	Multi-temperature display case from +5° to -20°C for 3-door pastry shops, ventilated refrigeration, Curve Line, with 4 display sides, 15 rectangular shelves measuring 565x445 mm, capacity 1388 litres, V.230/1, Kw.0.75 +0.75+0.75, weight 478 kg, dim.mm.2050x620x1860h	
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
SL-KV	Suction Cups Kit	
SL-KSVG	Support kit for glass and grids	
SL-RPV45/90/130	Glass shelf	
SL-LED	Additional Led	
SL-KP1300	Adjustable Feet Kit	
SL-CC1300	Key closure	
SL-VSP1300	Mirror glass	
SL-IMLEG1300	Wooden case packing	
SL-RAL/1300	Finish and Colors	
FINITURE E COLOR **Ret o model Set of more Set of more M. do chose		



