



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,79
<b>net weight (Kg)</b>	224
<b>gross weight (Kg)</b>	235
<b>breadth (mm)</b>	810
<b>depth (mm)</b>	620
<b>height (mm)</b>	1925

#### PROFESSIONAL DESCRIPTION

**COMBINED DISPLAY CABINET for ICE CREAM/PASTRY SHOP, CURVE Line, with 4 display sides and 3 grilled shelves + 3 glass shelves, VENTILATED/STATIC refrigeration, temperature -15°-25°C/+4°+10°C :**

- **external structure in silver anodized aluminium ;**
- showcase built using **insulating double glazing** , compliant with EN UNI 1279;
- **exposure on 4 sides ;**
- **3 GRILLED SHELVES** measuring 665x420 mm + **3 GLASS SHELVES** measuring 670x460 mm ;
- **capacity 230+260 litres ;**
- **operating temperature -15°-25°C/+4°+10°C ;**
- **2 " sensitive touch " control panels** with a unique and exclusive design, the result of a long IT and design study;
- **ventilated/static refrigeration ;**
- automatic/manual defrost;
- **LED lighting as standard** on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- lumen/meter: 4 x 1200 lm;
- humidity: 40% - 75%;
- **compressors** and the **touch screen thermostat** are of the **latest generation**, guaranteeing **high efficiency** and **low absorption** , with notable advantages for operating economy;
- **accuracy , solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition;
- thanks to these refrigerated display cases for pastry and ice cream shops you will be able to combine solidity and display elegance with the

reliability of a made in Italy product.








**Accessories/Options :**

- locking with key
- glass shelf
- support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- additional LED
- wooden crate packaging
- finishes and colours: RAL of your choice

**CE mark**

**Made in Italy**

CODE	DESCRIPTION	PRICE/DELIVERY
<b>SL-CPG520V/S</b>	Combined display case for ice cream/pastry shop 2 doors, temp. -15°-25°C/+4°+10°C, Curve Line, 4 display sides, 3 grilled shelves + 3 glass shelves, ventilated/static refrigeration, capacity liters .230+260, V.230/1, Kw.0.37+0.42, dim.mm.810x620x1925h	

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>SL-KV</b> 	<b>Suction Cups Kit</b>	
<b>SL-KSVG</b> 	<b>Support kit for glass and grids</b>	
<b>SL-KP25/80</b> 	<b>Adjustable Feet Kit</b>	
<b>SL-LED</b> 	<b>Additional Led</b>	
<b>SL-CC70/90/12</b> 	<b>Key closure</b>	
<b>SL-VSP52/80</b> 	<b>Mirror glass</b>	
<b>SL-IMLEG52/80</b> 	<b>Wooden case packing</b>	
<b>SL-RAL</b> 	<b>Finish and Colors</b>	



Curve

CPG 520 V/S



-15°-25° C  
+4°+10° C



40% - 75%  
Umidità



4 x 1200



Sbrinamento manuale e  
Sbrinamento automatico




Refrigerazione ventilata e  
Refrigerazione Statica T° Positiva




230 V - 50



LAYOUT	VOLUME lt	RIPIANI	DIMENSIONI mm - kg	COMPRESSORE
	230+260	3 (665 x 420) 3 (670 x 460)	810 x 620 x 1925 - 224	370 + 420 Watt



520 V/S



VISTA LATERALE  
Side view / Seitenansicht / Vue latérale