



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

| | |
|----------------------------------|----------|
| power supply | Monofase |
| Volts | V 230/1 |
| frequency (Hz) | 50 |
| motor power capacity (Kw) | 1,94 |
| net weight (Kg) | 397 |
| gross weight (Kg) | 428 |
| breadth (mm) | 2050 |
| depth (mm) | 620 |
| height (mm) | 1860 |

PROFESSIONAL DESCRIPTION

COMBINATION DISPLAY CABINET for ICE CREAM/PASTRY SHOP 3 doors, CURVE line, with 4 display sides and 12 static shelves + 5 glass shelves, VENTILATED/STATIC refrigeration, temperature -15°-25°C/+4°+10°C :










- **external structure in silver anodized aluminium ;**
- **showcase built using insulating double glazing , compliant with EN UNI 1279;**
- **exposure on 4 sides ;**
- **12 FIXED SHELVES measuring 560x460 mm + 5 GLASS SHELVES measuring 565x420 mm ;**
- **capacity 1388 litres ;**
- **operating temperature -15°-25°C/+4°+10°C ;**
- **3 “sensitive touch” control panels** with a unique and exclusive design, the result of a long IT and design study;
- **ventilated/static refrigeration ;**
- automatic/manual defrost;
- **LED lighting as standard** on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- LED lighting (N° x Lm): 4 x 1200;
- humidity: 40% - 75%;
- **compressor and touch screen thermostat** are of the latest generation, guaranteeing high efficiency and low absorption, with notable advantages for operating economy;
- **accuracy , solidity and technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition;
- thanks to these refrigerated display cases for pastry and ice cream shops you will be able to combine solidity and display elegance with the reliability of a made in Italy product.

Accessories/Options:

- locking with key
- support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- additional LED
- wooden crate packaging
- finishes and colours: RAL of your choice

CE mark
Made in Italy

| CODE | DESCRIPTION | PRICE/DELIVERY |
|-----------------|---|----------------|
| SL-CPG1300S/S/V | Combined display case for ice cream/pastry shop, 3 doors, temp. -15°-25°C/+4°+10°C, Curve Line, 4 display sides, 12 static shelves + 5 glass shelves, ventilated/static refrigeration, capacity liters .1388, V.230/1, Kw.0.7+0.7+0.54, dim.mm.2050x620x1860h | |

| TECHNICAL CARD | | |
|---|---------------------------------|----------------|
| CODE/PICTURES | DESCRIPTION | PRICE/DELIVERY |
| SL-KV  | Suction Cups Kit | |
| SL-KSVG  | Support kit for glass and grids | |
| SL-RPV45/90/130  | Glass shelf | |
| SL-LED  | Additional Led | |
| SL-KP1300  | Adjustable Feet Kit | |
| SL-CC1300  | Key closure | |
| SL-VSP1300  | Mirror glass | |
| SL-IMLEG1300  | Wooden case packing | |
| SL-RAL/1300  | Finish and Colors | |



CURVE

CPG 1300 S/S/V



-15°-25° C
+4°+10° C



40% - 75%
Umidità



4 x 1200



Sbrinamento manuale e
Sbrinamento automatico



Refrigerazione ventilata e
Refrigerazione Statica T° Positiva



230 V - 50



LAYOUT

VOLUME lt

RIPIANI

DIMENSIONI mm - kg

COMPRESSORE




1388


12 (560 x 460) 5 (565 x 420)

2050 x 620 x 1860 - 397

700+700+540 Watt



1300 S/V/2T



VISTA LATERALE

Side view / Seitenansicht / Vue latérale