



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	5060
motor power capacity (Kw)	1,0
net weight (Kg)	110
breadth (mm)	680
depth (mm)	570
height (mm)	1050

PROFESSIONAL DESCRIPTION

BELL VACUUM PACKAGING MACHINE on CABINET with WHEELS, with 2 WELDING BARS 450 mm :

- **made of stainless steel ;**
- **vacuum chamber 560x460x220h mm** , made of stainless steel molded in a single piece with rounded corners for maximum hygiene and easy cleaning;
- **2 extractable 450 mm sealing bars ;**
- **vacuum pump of 25 meters / cubic / hour ;**
- **19 editable and customizable programs;**
- **1 program for marinating meat ;**
- double sensor "empty + liquids";
- **piston sealing bar**, completely devoid of wiring for optimal and safe management of tank cleaning;
- **self-cleaning / heating system of the pump** for optimal management of the packaging machine, with relative reduction of maintenance times and costs;
- **STEPVAC function** for creating the vacuum of liquid products inside traditional vacuum bags;
- **GASTROVAC function** for creating external vacuum in GN containers;
- **EXTRAVAC function** , which offers a second vacuum phase lasting 5 seconds (particularly suitable for minced and boned meat);
- reinforced sealing function for sealing thick bags and / or bags containing liquid / wet products;
- quick stop / weld;
- carter with 90 ° opening to facilitate access to the inside of the packaging machine;
- standard filling platforms;

- adjustable hinges;
- empty cycle at choice: by time or by percentage with automatic start at closing of the bell and automatic reopening at the end of the cycle;
- transparent tank lid with automatic lifting;
- possibility of extra vacuum up to 99.9% for very humid products;
- **Step Vac** for emulsifiable products (vacuum cycle in stages).

ACCESSORIES / OPTIONALS:

- possibility of vacuuming in external containers or Gastro-Norm basins by means of a special kit - Code EMATUBOGN.
- predisposition for inert gas kit - Code EMGASINERTE.
- label printer - Code EMST.
- vacuum sensor in the chamber - Code EMSV.
- sealing bar with piston lifting - Code EMBSP.
- sealing bar with envelope excess cut (scrap) - Code EMTSU.
- additional sealing bar - Code EMBS.
- bell stop bar - Code EMBF.
- inclined plane for liquid packaging - Code EMPI.

CE mark
Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
EM-MASTER2	PROFESSIONAL BELL VACUUM PACKAGING MACHINE EUROMATIC on CABINET with WHEELS, CHAMBER mm.560x460x220H, 2 WELDING BARS 450 mm, VACUUM PUMP 25 meters / cubic / hour, V.230 / 1, Kw. 1.00, Weight 110 Kg, dim.mm. 680x570x1050h	€ 2.955,95 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY



EM-BF

TECHNOCHEF - Bell holder, Mod.BF

€ 24,99
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days



EM-PI

Inclined plane, Mod.PI

€ 85,74
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days



EM-TUBOGN

Tube with adapter sleeve in gastro containers

€ 102,01
VAT excluded
Shipping to be calculated
Delivery



EM-BS

TECHNOCHEF - Additional sealing bar, Mod.BS

€ 270,19
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days

EM-GASINERTEURANO

TECHNOCHEF - Inert gas, Mod. GASINERTE

€ 288,20
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days



EM-ST

TECHNOCHEF - Label printer, ST mod

€ 363,26

VAT excluded


Shipping to be calculated

Delivery from 4 to 9 days



DISPOSIZIONE BARRE SALDANTI SEALING BARS POSITION

MASTER 2





STANDARD FUNCTIONS PER CONFEZIONATRICI A CAMPANA

STANDARD FUNCTION ONLY FOR CHAMBER MACHINES



Pannello multifunzione digit - 10 PRG
Multifunction digit panel - 10 PRG



Sistema autopulizia olio
Oil made auto cleaning system



Pannello comandi a totale tenuta
contro umidità
Waterproof control Panel



Soft vacuum elettronico
Electronic soft vacuum



Vasca inox con angoli stondati
senza saldature
Entirely printed stainless steel
vacuum chamber, with internal
round corners



Connessione per attacco gastrovac
Connection for the gastrovac system



Set tavole di riempimento in
polietilene
Polyethylene filling squares set



OPTIONAL PER CONFEZIONATRICI A CAMPANA

OPTIONALS ONLY FOR CHAMBER MACHINES



Installazione gas inerte
Arrangement for idle gas



Installazione stampante
Printer installation



Pompa Busch
Busch Pump



Saldatura con pistoni senza cavi
Sealing with cableless pistons



Barra sigillante aggiuntiva
Extra Sealing Bar



Taglio Eccedenza
Exceeding cutting bar



Sensore di vuoto
Vacuum sensor



Sistema bloccaggio campana
Lid Hook



Altezza camera maggiorata
Increased chamber height



Piano inclinato per liquidi
Inclined plane for liquids



Tensione e frequenza speciale
Voltage and frequency