



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	5060
<b>motor power capacity (Kw)</b>	1,0
<b>net weight (Kg)</b>	110
<b>breadth (mm)</b>	680
<b>depth (mm)</b>	570
<b>height (mm)</b>	1050

#### PROFESSIONAL DESCRIPTION

**VACUUM PACKAGING MACHINE with BELL on CABINET with WHEELS, with 2 SEALING BARS of 450 mm :**

- **made of stainless steel ;**
- **vacuum chamber measuring mm 560x460x220h** , made of stainless steel pressed in a single piece with rounded corners for maximum hygiene and ease of cleaning;
- **2 removable 450 mm welding bars ;**
- **25 cubic meter/hour vacuum pump ;**
- **19 editable and customizable programs;**
- **1 program for marinating meat ;**
- double "empty + liquid" sensor;
- **piston welding bar**, completely free of wiring for optimal and safe management of tank cleaning;
- **self-cleaning/heating pump system** for optimal management of the packaging machine, with a relative reduction in maintenance times and costs;
- **STEPVAC function** for creating a vacuum for liquid products inside traditional vacuum bags;
- **GASTROVAC function** for creating an external vacuum in GN containers;
- **EXTRAVAC function** , which offers a second vacuum phase lasting 5 seconds (particularly suitable for minced and boned meat);
- reinforced welding function for sealing thick bags and/or bags containing liquid/wet products;
- quick stop/weld;
- casing with 90° opening to facilitate access to the inside of the packaging machine;
- standard filler plates;

- adjustable hinges;
- vacuum cycle of your choice: timed or percentage-based with automatic start at closing of the bell and automatic reopening at the end of the cycle;
- transparent tub lid with automatic lifting;
- possibility of extra vacuum up to 99.9% for very moist products;
- **Step Vac** for emulsifiable products (step vacuum cycle).




#### ACCESSORIES/OPTIONAL:

- possibility of vacuum in external containers or Gastro-Norm trays using a special kit - Cod.EMATUBOGN.
- provision for inert gas kit - Cod.EMGASINERTE.
- label printer - Cod.EMST.
- vacuum sensor in chamber - Cod.EMSV.
- welding bar with piston lift - Cod.EMBSP.
- sealing bar with excess bag cutting (waste) - Cod.EMTSU.
- additional welding bar - Cod.EMBS.
- bell stop bar - Cod.EMBF.
- inclined plane for liquid packaging - Cod.EMPI.

**CE mark**  
**Made in Italy**


CODE	DESCRIPTION	PRICE/DELIVERY
<b>EM-MASTER2</b>	EUROMATIC PROFESSIONAL BELL VACUUM PACKAGING MACHINE on CABINET with WHEELS, CHAMBER mm.560x460x220H, 2 SEALING BARS of 450 mm, VACUUM PUMP of 25 cubic meters/hour, V.230/1, Kw. 1.00, Weight 110 Kg, dim.mm. 680x570x1050h	<b>€ 2.999,57</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

#### TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>EM-BF</b>  <p>Diagramma bloccaggio coperchio Lid Hook</p>	<b>TECHNOCHEF - Bell holder, Mod.BF</b>	<b>€ 26,51</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>EM-GASINERTEURANO</b>  <p>Installazione gas inerte Arrangement for inert gas</p>	<b>TECHNOCHEF - Inert gas, Mod. GASINERTE</b>	<b>€ 288,89</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>EM-ST</b>  <p>Installazione stampante Printer installation</p>	<b>TECHNOCHEF - Label printer, ST mod</b>	<b>€ 365,36</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

## DISPOSIZIONE BARRE SALDANTI SEALING BARS POSITION

### MASTER 2





## STANDARD FUNCTIONS PER CONFEZIONATRICI A CAMPANA


STANDARD FUNCTION ONLY FOR CHAMBER MACHINES



Pannello multifunzione digit - 10 PRG  
Multifunction digit panel - 10 PRG



Sistema autopulizia olio  
Oil made auto cleaning system



Pannello comandi a totale tenuta  
contro umidità  
Waterproof control Panel



Soft vacuum elettronico  
Electronic soft vacuum



Vasca inox con angoli stondati  
senza saldature  
Entirely printed stainless steel  
vacuum chamber, with internal  
round corners



Connessione per attacco gastrovac  
Connection for the gastrovac system



Set tavole di riempimento in  
polietilene  
Polyethylene filling squares set



## OPTIONAL PER CONFEZIONATRICI A CAMPANA

OPTIONALS ONLY FOR CHAMBER MACHINES



Installazione gas inerte  
Arrangement for idle gas



Installazione stampante  
Printer installation



Pompa Busch  
Busch Pump



Saldatura con pistoni senza cavi  
Sealing with cableless pistons



Barra sigillante aggiuntiva  
Extra Sealing Bar




Taglio Eccedenza  
Exceeding cutting bar



Sensore di vuoto  
Vacuum sensor



Sistema bloccaggio campana  
Lid Hook



Altezza camera maggiorata  
Increased chamber height



Piano inclinato per liquidi  
Inclined plane for liquids



Tensione e frequenza speciale  
Voltage and frequency