



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>net weight (Kg)</b>	268
<b>gross weight (Kg)</b>	288
<b>breadth (mm)</b>	1420
<b>depth (mm)</b>	700
<b>height (mm)</b>	1455

#### PROFESSIONAL DESCRIPTION

**REFRIGERATED PIZZA COUNTER 2 DOORS, 6 DRAWER UNIT for pizza dough, with 330 or 380 mm DEEP DISPLAY CASE, Temp. +2°/+8°, Static, ECOLOGICAL in Class E :**

- 
- **AISI 201 stainless steel structure ;**
- **granite top with backsplash on 3 sides ;**
- **6-drawer chest of drawers for 6 loaf boxes ( not included ) ;**
- **2 refrigerated compartments** capable of holding loaf boxes ;
- bottom with rounded corners ;
- **stainless steel backrest ;**
- possibility of leaning against the wall ;
- **gross capacity 257 lt ;**
- **built-in removable group** for easy maintenance ;
- **electronic temperature control** with digital thermostat ;
- electrical resistance around the door frame to eliminate condensation ;
- **Automatic defrosting** with electric resistance and automatic control of the defrosting temperature ;
- Anti-corrosion treated evaporator ;
- Front panel opens with key ;
- **Ventilated refrigeration ;**
- **automatic evaporation** of condensation water ,

- max ambient temperature/humidity: +35°C / 50%HR;
- **insulation thickness 45 mm** ;
- **ECOLOGICAL refrigerant GAS R600a** ;
- **Energy CLASS E** ;
- door with return spring;
- tool-free removable door seal,
- height-adjustable **stainless steel feet** .

Equipped with a **horizontal refrigerated DISPLAY CASE** complete with glass and refrigeration unit , **capable of containing:**

- **6 GN 1/4 containers (mm 265x162)**, with max height 150 mm for the **mod.FC-G-S903PZCAS33-FC**,
- **4 GN 1/3 trays (325x175 mm) + 1 GN 1/2 tray (325x265 mm)** , with max height 150 mm for the **FC-G-S903PZCAS38-FC model**.

**Included :**

- 3 GN 1/1 grids (mm 530x325)
- 6 pairs of guides
- 6 drawers

**NB: The loaf boxes are optional.**

**Accessories/Options:**

- small cake boxes

**CE MARK**  
**MADE IN ASIA**

**AVAILABLE MODELS**

**FC-G-S903PZCAS33-FC**



**REFRIGERATED PIZZA COUNTER, 2 DOORS, 6 DRAWERS, 330 mm deep refrigerated display case, capacity 6 GN 1/4 containers (265x162 mm), Temp. +2°/+8°C, Ventilated, ECOLOGICAL in Class E, R600a Gas, V.230/1, Kw.0.235, Weight Kg. 280, dim.mm.1420x700x1455h**

**€ 1.365,45**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

**FC-G-S903PZCAS38-FC**



**REFRIGERATED PIZZA COUNTER, 2 DOORS, 6 DRAWERS, 380 mm deep refrigerated display case, capacity 4 GN1/3 containers (mm 325x175) + 1 GN1/2 (mm 325x265), Temp. +2°/+8°C, Class E, Gas R600a, V.230/1, Kw.0.235, Weight Kg. 288, dim.mm.1420x700x1455h**

**€ 1.398,48**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

**TECHNICAL CARD**

**CODE/PICTURES**

**IK5207PP**



**DESCRIPTION**

**Gastronorm 1/1 polypropylene containers, size 530 x 325 x 65 h mm**

**PRICE/DELIVERY**

**€ 5,09**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days



FORCOLD



mod.FC-G-5903PZCAS33-FC capacità 6 bacinelle GN 1/4



mod.FC-G-5903PZCAS38-FC capacità 4 bacinelle GN 1/3 + 1 GN 1/2



FORCOLD

