

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,26
net weight (Kg)	97
gross weight (Kg)	127
breadth (mm)	1360
depth (mm)	600
height (mm)	960

PROFESSIONAL DESCRIPTION

2 DOOR REFRIGERATED TABLE with BACKPACK and NEUTRAL DRAWER , SNACK line, 228 liter capacity , temperature -2°C /+8°C, ECOLOGICAL in Class B :

- AISI 304 stainless steel structure;
- bottom with rounded corners;
- **stainless steel backrest** , possibility of leaning against the wall;
- ventilated refrigeration;
- o capacity 228 litres;
- built-in refrigeration unit removable for easy maintenance;
- circular flow of the cold air so as not to directly touch the product;
- operating temperature -2°/+8°C;
- $\ \, \bullet \ \, \text{electronic temperature control with digital thermostat} \; ; \\$
- $\circ\,$ electrical resistance around the door frame for elimination of condensation;
- $\circ\;$ automatic defrost with electric resistance and automatic temperature control defrost temperature ;
- $\circ \ \ \text{automatic evaporation of condensation water} \ ;$
- $\circ \ \ \text{anti-corrosion treated evaporator;}$
- $\circ \ \ \textbf{ECOLOGICAL} \ \ \textbf{Refrigerating} \ \ \textbf{Group} \ \ \textbf{with} \ \ \textbf{R290} \ \ \textbf{Gas} \ ;$
- Energy class B;
- maximum ambient temperature: +32°C;

- maximum temperature humidity: 55% HR;
- insulation thickness 60 mm;
- o door with return spring;
- door seal removable without tools;
- o feet in AISI 304 stainless steel, adjustable in height;
- o internal dimensions 902x430x589h mm;
- external dimensions mm 1360x600x860/960h.

Supplied:

- $\circ~$ n.2 grids, dim.330x430mm
- o n.4 guides

Options/Accessories:

- o chest of drawers with 2 drawers;
- chest of drawers with 3 drawers;
- pair of guides for grid support;
- plasticized grid;
- $\circ~$ kit of 4 wheels diameter 120 mm, 2 of which with brake.

NOTE:

IT IS RECOMMENDED TO INSTALL ONLY THE CHEST OF DRAWERS WITH 2 DRAWERS IN THE COMPARTMENT NEAR THE REFRIGERATING UNIT, so as not to obstruct the circulation of the cold.

CE MARK MADE IN ASIA

CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-SNACK2200TN	2 DOOR Refrigerated Counter Table with upstand and neutral drawer, Professional, SNACK Line,	
	temp2°/+8°C, capacity 228 litres, ventilated	VAT escluded
	refrigeration, ECOLOGICAL in Class B, Gas R290,	
	V.230/1, Kw. 0.26, weight 97 kg, dim.mm.1360x600x860/960h	Delivery from 4 to 9 days
	TECHNICAL CARD	
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
FO-GRPG	Forcar - Plastic coated grill	€ 8,67
CHEF		VAT escluded
		Shipping to be calculed
		Delivery from 4 to 9 days
FO-CGG	Forcar - Pair of grille guides	€ 11,56
TECHNO		VAT escluded
		Shipping to be calculed
		Delivery from 4 to 9 days
FO-RUO120	Forcar - 4 Wheel Kit, 2 with Brake	€ 78,63
(FOLK)		VAT escluded
		Shipping to be calculed
O HE FIVE		Delivery from 4 to 9 days
80		
FO-C12G	Forcar - Chest of drawers with 2 drawers	€ 341,36
TECHNO		VAT escluded
Char		
Realist 2		Shipping to be calculed
State 2		Shipping to be calculed Delivery from 4 to 9 days





