



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,37
<b>net weight (Kg)</b>	49
<b>breadth (mm)</b>	650
<b>depth (mm)</b>	303
<b>height (mm)</b>	466

#### PROFESSIONAL DESCRIPTION

**Professional COUNTER SHEETER with 420 mm SMOOTH or ROUGH STAINLESS STEEL ROLLERS and DOUBLE MOUTH for INSERTING THE DOUGH :**

- Entirely built in 18/10 stainless steel , it is ideal for fresh pasta laboratories , restaurants , pizzerias and pastry shops , it allows the creation of sheets for fresh pasta, pastry shops and pizzerias;
- It has a pair of full rollers in polished stainless steel for uniform lamination even with very thin thicknesses ;
- Equipped with a standard pastry cutting attachment;
- The strengths of this innovative machine are as follows :
  - COMPACTNESS** for minimum encumbrance on the workbench;
  - Roller diameter 60 mm;
  - ROBUSTNESS** and mechanical precision all MADE IN ITALY;
  - electrical **SIMPLICITY** for maximum reliability;
  - SIMPLE** disassembly of the dough introduction chute and drive rollers for convenient and effective cleaning of the machine;
  - SPEED** of total extraction of the "pasta scrapers" which allows a deep daily cleaning and a very simple replacement of the same;
  - Absolute **SAFETY** of the operator thanks to a patented solution which allows the introduction of the dough up to a thickness of 40 mm. This patented system.

#### TECHNICAL DATA :

- Roller dimensions: **DIAMETER 60 mm - LENGTH 420 mm**
- Roller opening: **0 - 15 mm** .
- Maximum dough thickness that can be inserted: **40 mm**

- Adjustment: **GEAR MICROMETRIC**

**Accessories/Options :**

- SHEET CUTTERS CUT WIDTH 2 MM. - TAGLIOLINI
- SHEET CUTTERS CUT WIDTH 4 MM. - TRENETTE
- SHEET CUTTERS CUT WIDTH 6,5 MM. - FETTUCCINE
- SHEET CUTTERS CUT WIDTH 12 MM. - LASAGNETTE

**CE MARK**  
**MADE IN ITALY**

**AVAILABLE MODELS**

**IG-3200/LM42**



**Pasta sheeter with 1 pair of smooth stainless steel rollers 420 mm long, V.230/1, Kw.0.37, Weight 49 Kg, dim.mm.650x303x466h**

**€ 2.664,49**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

**IG-3200/LM42R**



**Pasta sheeter with 1 pair of rough stainless steel rollers 420 mm long, V.230/1, Kw.0.37, Weight 49 Kg, dim.mm.650x303x466h**

**€ 2.780,23**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

**TECHNICAL CARD**

**CODE/PICTURES**

**DESCRIPTION**

**PRICE/DELIVERY**

**IG-TSIGF02**



**LEAF CUTTER, CUT WIDTH 2 MM. - TAGLIOLINI**

**€ 310,28**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

**IG-TSIGF03**



**LEAF CUTTER WIDTH CUT 4 MM. - TRENETTE**

**€ 310,28**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

**IG-TSIGF04**



**LEAF CUTTER CUT WIDTH 6.5 MM. - FETTUCCINE**

**€ 310,28**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

**IG-TSIGF05**



**LEAF CUTTER, CUT WIDTH 12 MM. - LASAGNETTE**

**€ 310,28**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days



Doppia bocca per inserimento impasto



con accessorio tagliasfoglia inserito (opzionale)



Sistema rapido di aggancio e sgancio accessori tagliasfoglia



Sistema di regolazione micrometrico ad ingranaggi con indicatore di apertura e chiusura rulli



Tagliasfoglia inox con aggancio e sgancio rapido larghezza utile mm. 260, sponda di **appoggio** per facilitare l'imbocco sfoglia, ottenendo così una maggior produzione. (OPZIONALE)



Pappardelle (lasagnette) con taglio a passo irregolare come se fossero tagliate a mano



Tagliatelle (fettuccine) con taglio a passo irregolare come se fossero tagliate a mano



Trenette con taglio a passo irregolare come se fossero tagliate a mano



Tagliolino con passo regolare