

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

| power supply | Monofase |
|---------------------------|----------|
| Volts | V 230/1 |
| frequency (Hz) | 50 |
| motor power capacity (Kw) | 3,15 |
| net weight (Kg) | 35 |
| gross weight (Kg) | 43 |
| breadth (mm) | 775 |
| depth (mm) | 700 |
| height (mm) | 560 |
| | |

PROFESSIONAL DESCRIPTION

ELECTRIC CONVECTION OVEN WITH VENTILATION with GRILL, for PASTRY, NERONE EKO MECHANICAL line, MANUAL CONTROLS, capacity 3 trays of mm 600x400, version with REVOLVING DOOR :

- Made of stainless steel : internal chamber and racks, covers and visible components, fan casing and fan;
- $\circ~$ Stainless steel cooking chamber with rounded corners, dim.mm 650x460x350h ;
- Capacity 3 trays of 600x400 mm (not included), 105 mm pitch;
- Tempered glass with low emissivity inside ;
- Handle with safety opening system ;
- Snap-fit gasket fixing system;
- double motor and double fan ;
- global diffusion internal ventilation system ;
- Cold door with double glass , removable to maximize cleaning operations;
- Easily removable door for maintenance;
- $\circ~$ Door opening with fan deactivation ;
- Door to the Ribalta;
- High strength hinges ;
- Mechanical control panel ;
- Fast and precise;
- LED lights ;

- Interior lighting ;
- $\circ~$ Possibility to set the cooking chamber temperature and cooking times ;
- Robust and easy to maintain;
- $\circ~$ Reliable according to IPX3 protection standard
- Non-slip feet;
- Total electrical power: 3.15 kW / 1.7 kW Grill.

CE mark Made in ITALY

| CODE | DESCRIPTION | PRICE/DELIVERY |
|------------------------------|--|---|
| TD-FEMG03NEPSDX-GRILL-NERONE | ELECTRIC CONVECTION OVEN WITH VENTILATION and GRILL, for PASTRY, capacity 3 TRAYS 600x400 mm (not included), MANUAL CONTROLS, version with REVOLVING DOOR, V.230/1, Kw.3.15+1.7, Weight 35 Kg, dim.mm.775x700x560h | € 544,72 VAT escluded Shipping to be calculed Delivery from 8 to 15 days |
| | TECHNICAL CARD | |
| CODE/PICTURES | DESCRIPTION | PRICE/DELIVERY |
| TD-FOGRGPS | Chromed pastry grid, size 600x400mm | € 36,13 VAT escluded Shipping to be calculed Delivery from 4 to 9 days |
| TD-FOTGLPAS | Aluminum Pastry Tray | € 46,52 VAT escluded Shipping to be calculed Delivery from 4 to 9 days |
| TD-NEFOP | Support for Nerone Oven Mod.600/P | € 240,75 VAT escluded Shipping to be calculed Delivery from 4 to 9 days |
| TD-KITPIETRANEPS | Refractory stone plate, dim.mm.600x400x15 | € 272,74 VAT escluded Shipping to be calculed Delivery from 4 to 9 days |



