

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD	
power supply	Trifase
Volts	V 400/3
frequency (Hz)	50
motor power capacity (Kw)	0,75
net weight (Kg)	188
breadth (mm)	2350
depth (mm)	915
height (mm)	1160

PROFESSIONAL DESCRIPTION

Professional floor-standing PASTRY SHEETER, with 950x500 mm BELTS-BELTS with UNDER-TABLE for FLOUR COLLECTION and PASTRY COLLECTION, Roller opening from: 0 to 35 mm, 950 mm long folding TABLES:

- Designed and engineered to ensure extremely easy and functional use, in full compliance with international safety standards;
- Reliable, solid and efficient structure, it meets the needs of restaurants, hotels, pastry shops and small and medium-sized bakeries;
- $\circ \ \ \textbf{Shoulder in cast aluminum} \ \ \text{to ensure maximum vibration absorption and therefore reduce noise;}$
- Maximum product visibility thanks to stainless steel wire guards and shoulder structure;
- Motorized, extractable and liftable shelves to reduce space when not in use;
- \circ Electrical system with variable speed as standard;
- **Toothed sector** to increase precision on thin thicknesses;
- Reverse buttons ;
- Machine complete with double control (buttons and pedal) as standard ;
- Precise and constant thickness adjustment;
- Easily removable scrapers for daily cleaning at the end of service;
- Rolling pin holder in cast aluminum;
- $\bullet \ \ \textbf{Flour collecting trays as standard} \ ; \\$
- Safety guards in grid to increase visibility of the rolled product;
- $\circ \ \, \textbf{Swivel wheels and external stabilizing feet} \ \, \text{and fixing to the ground to facilitate movement;} \\$
- Possibility of working any type of pasta, up to very thin thicknesses;

 $\circ~$ Micrometric adjustment of cylinder opening with aluminium handle ;

0

∘ cylinder diameter: Ø 7 cm;

 $\circ~$ cylinder opening: from 0 to 3.5 cm;

o cylinder length: 50 cm;

0

- Scrape the paste on the easily removable cylinders , for easy and effective cleaning;
- \circ Movement of the BELTS-CARPETS via pedal control;
- $\circ\:$ Variable speed conveyor belts to avoid wrinkles in the dough ;
- Shielded bearings to prevent flour infiltration;
- Tables that fold upwards to save space when the machine is at rest;
- Non-removable table system with under-top for collecting FLOUR and stainless steel pasta;
- Mounted on wheels for easy movement;

- Working dimensions : mm 2350 x 915 x 1160h;
- Dimensions at rest: mm 790 x 915x 1720;

0

- Low voltage electrical system with dual control (manual and pedal);
- Accident prevention guards , connected to the electrical system by means of limit switches;

Ontional

- Also available with single-phase motor

CE MARK MADE in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
TCF133-SF-500-95	Professional Pastry Sheeter with BELTS-BELTS mm 950x500 equipped with FLOUR UNDER-TOP and PASTRY COLLECTOR, LAMINATION rollers mm. 500 adjustable from: 0 to 35 mm, Weight Kg 157, kw 0.75, open dimensions mm 2350x915x1160h	€ 4.642,13 VAT escluded Shipping to be calculed Delivery from 4 to 9 days