

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



## **TECHNICAL CARD**

power supply	Trifase
Volts	V 400/3
frequency (Hz)	50
motor power capacity (Kw)	1,1
net weight (Kg)	255
breadth (mm)	3180
depth (mm)	1010
height (mm)	1160

## PROFESSIONAL DESCRIPTION

Professional Floor-standing PASTRY SHEETER, MECHANIZED with 1400x600 mm BELTS-BELTS, with UNDER-COUNTER for FLOUR COLLECTION and PASTRY COLLECTION, Roller opening from 0 to 40 mm, 1400 mm long folding TABLES:

 Product halfway between the classic manual sheeters and the complex automatic sheeters: it is an excellent alternative to the manual ones, without however having to use automatic systems, which are often complicated. of automatic machines;

• Designed and engineered to ensure extremely easy and functional use , in full compliance with international safety standards;

• Reliable, solid and efficient structure, it meets the needs of restaurants, hotels, pastry shops and small and medium-sized bakeries;

· Shoulders and lids in cast aluminium;

Motorized shelves that can be pulled out and lifted to reduce space when not in use;

• Precise and constant thickness adjustment via joystick;

- Practical and precise selection of pasta thickness ;
- Hard chrome plated rolling cylinders, ground and polished;
- Convenient Joystick , replacing the traditional handle, which allows you to move the carpets to the right and left ;
- Actual cylinder measurement indicator;
- Mechanical regulation of cylinder opening and closing;
- 0
- 0
- 0

0

- cylinder diameter: Ø7cm;
- cylinder opening: from 0 cm to 4 cm;
- cylinder length: 60cm;
- $\circ~$  Scrape the paste on the easily removable cylinders , for easy and effective cleaning;
- 0

0

- Variable speed conveyor belts to avoid wrinkles in the dough;
- Stainless steel protective grilles with safety microswitch;
- Shielded bearings to prevent flour infiltration;
- Tables that fold upwards to save space when the machine is not in use;
- Non-removable table system with under-top for collecting FLOUR and stainless steel pasta collector;
- Mounted on wheels for easy movement;
- Equipped with emergency button ; Complete with "Reset" switch to return to initial position;
- Two-speed motor (Hp 0.9/1.5)
- Working dimensions : mm 3180 x 1010 x 1160h;
- **Dimensions at rest** : mm 980 x 1010 x 2150h;

## CE MARK MADE in Italy

CODEDESCRIPTIONPRICE/DELIVERYTCF133-EASY6-140Professional pastry sheeter MECHANIZED with BELTS<br/>BELTS mm 1400x600 equipped with FLOUR UNDER<br/>TABLE and PASTRY COLLECTOR, LAMINATION rollers<br/>mm 600 adjustable from 0 to 40 mm, Weight Kg 255,<br/>kw 1.1-0.66, open dimensions mm 3180x1010x1160h€ 6.8865,55<br/>VAT escluded<br/>shipping to be calculed<br/>Delivery from 4 to 9 days





