

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD	
power supply	Trifase
	V 400/3
frequency (Hz)	50
motor power capacity (Kw)	1,1
net weight (Kg)	255
breadth (mm)	3180
depth (mm)	1010
height (mm)	1160

PROFESSIONAL DESCRIPTION

Professional Floor-standing PASTRY SHEETER, MECHANIZED with 1400x600 mm BELTS-BELTS, with UNDER-COUNTER for FLOUR COLLECTION and PASTRY COLLECTION, Roller opening from 0 to 40 mm, 1400 mm long folding TABLES:

- Product halfway between the classic manual sheeters and the complex automatic sheeters: it is an excellent alternative to the manual ones, without however having to use automatic systems, which are often complicated. of automatic machines;
- $\circ \ \ \text{Designed and engineered to ensure } \textbf{extremely easy and functional use} \ , \ in \ full \ compliance \ with \ international \ safety \ standards; \\$
- $\circ \ \ \textbf{Reliable, solid and efficient structure} \ , \ \text{it meets the needs of restaurants, hotels, pastry shops and small and medium-sized bakeries;} \\$
- $\circ\;$ Shoulders and lids in cast aluminium;
- $\circ~$ Motorized shelves that can be pulled out and lifted to reduce space when not in use;
- Precise and constant thickness adjustment via joystick;
- Practical and precise selection of pasta thickness;
- Hard chrome plated rolling cylinders, ground and polished;
- Convenient Joystick , replacing the traditional handle, which allows you to move the carpets to the right and left ;
- Actual cylinder measurement indicator;
- Mechanical regulation of cylinder opening and closing;

0

• cylinder diameter: Ø7cm;

cylinder opening: from 0 cm to 4 cm;

• cylinder length: 60cm;

 $\circ\,$ Scrape the paste on the easily removable cylinders , for easy and effective cleaning;

0

- $\circ\:$ Variable speed conveyor belts to avoid wrinkles in the dough;
- Stainless steel protective grilles with safety microswitch;
- Shielded bearings to prevent flour infiltration;
- $\circ\,$ Tables that fold upwards to save space when the machine is not in use;
- · Non-removable table system with under-top for collecting FLOUR and stainless steel pasta collector;
- Mounted on wheels for easy movement;
- Equipped with **emergency button**; Complete with **"Reset" switch** to return to initial position;
- ∘ Two-speed motor (Hp 0.9/1.5)

0

Working dimensions: mm 3180 x 1010 x 1160h;
Dimensions at rest: mm 980 x 1010 x 2150h;

CE MARK
MADE in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
TCF133-EASY6-140	Professional pastry sheeter MECHANIZED with BELTS-BELTS mm 1400x600 equipped with FLOUR UNDER-TABLE and PASTRY COLLECTOR, LAMINATION rollers mm 600 adjustable from 0 to 40 mm, Weight Kg 255, kw 1.1-0.66, open dimensions mm 3180x1010x1160h	€ 6.865,55 VAT escluded Shipping to be calculed Delivery from 4 to 9 days







