

#### TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



# **TECHNICAL CARD**

power supply	Monofase
Volts	V 400/3 +N
frequency (Hz)	5060
motor power capacity (Kw)	5,8
net weight (Kg)	140
gross weight (Kg)	159
breadth (mm)	1190
depth (mm)	1100
height (mm)	440

# PROFESSIONAL DESCRIPTION

Electric OVEN for PIZZA Cuppone MICHELANGELO Line, 4 Pizzas x ø35 cm, Modular, Available with DIGITAL Controls or TOUCH SCREEN Controls:

- Rounded stainless steel front;
- Stainless steel cooking chamber dim. mm 720x720x140;
- Cordierite brick cooking surface;
- Insulation in evaporated rock wool;
- · Door with double panoramic glass and opening and closing system with compression spring;
- Heat sealing gasket between door and cooking chamber;
- Integrated **heat recovery system** in the cooking chamber;
- $\circ~$  Cooking chamber lighting with two 12V lamps;
- $\circ~$  Safety thermostat and cooling fan;
- Armored and differentiated electrical resistors on the ceiling and under the stalls;
- $\bullet \ \ \, \textbf{Electronically adjustable cooking vapour vent }; \\$
- $\circ \ \ \textbf{Separate control group} \ ;$

0

 $\circ$  Pizza capacity: 4 x ø35 cm

o Rooms: 1

Power: 5.8 kW

∘ Temperature: 0-400°C

o Weight Kg: 140

Cooking chamber dimensions 720x720x140h mm External dimensions 1190x1100x440h mm

0

 All models can be supplied with a stand (with or without wheels and, with the exception of the 435 model, with or without a cut-out for the insertion of a mixer) and an extractor hood (with or without a 5-speed motor).

-----

#### VERSION WITH DIGITAL CONTROLS / Mod: ML435/1CD

- o Control system with electronic board;
- possibility of setting the chamber temperature and the power of the heating elements (top and bottom) differently: "OFF" off,
  "MIN" 33% or "MAX" 100%;
- end of cooking acoustic warning;
- programmable oven ignition with countdown up to 99 hours;

#### VERSION WITH TOUCH SCREEN CONTROLS / Mod: ML435/1TS

- Touch Screen control system with the possibility of setting the chamber temperature and the power of the two groups of heating elements (top and bottom) differently from 0% to 100%;
- integrated PYROLYSIS, ECONOMY and FAST RECOVERY functions;
- o cooking programming;
- end of cooking acoustic warning;
- weekly timer + agenda;

#### **Optional:**

- CP-KM435NT Hood Without Motor;
- o CP-KM435AS Hood with Motor;
- CP-SML435/1 Base Support for 1 CAMERA;
- CP-SML435/2 Base Support for 2 CAMERAS;
- CP-RS Wheel Kit for Base Support;

MADE in Italy
CE MARK

#### AVAILABLE MODELS

## CP-ML435/1CD



Electric Pizza Oven, for 4 Pizzas, modular with 720x720x140h mm chamber, Version with DIGITAL CONTROLS, MICHELANGELO Line, V. 380/3+N, Kw 5.8, Weight 140 kg, dimensions mm. 1190x1100x440h

€ 3.231,31

VAT escluded

Shipping to be calculed

**Delivery** from 8 to 15 days

CP-ML435/1TS



Electric Pizza Oven, for 4 Pizzas, modular with 720x720x140h mm chamber, Version with TOUCH SCREEN CONTROLS, MICHELANGELO Line, V. 380/3+N, Kw 5.8, Weight 140 kg, dim. mm. 1190x1100x440h

€ 4.013,71

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days

**TECHNICAL CARD** 

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

CP-RS Wheels Kit for Base Support

€ 306,72

VAT escluded

Shipping to be calculed

**Delivery** from 4 to 9 days



#### CP-SML435/1



### **Steel Base Support for 1 Camera**

€ 652,98

VAT escluded

Shipping to be calculed

**Delivery** from 4 to 9 days

# CP-SML435/2



### **Steel Base Support for 2 Chambers**

€ 652,98

VAT escluded

Shipping to be calculed

**Delivery** from 4 to 9 days

# CP-KML435NT



### Hood without motor for Michelangelo oven

€ 1.206,52 VAT escluded Shipping to be calculed

**Delivery** from 4 to 9 days

#### CP-KML435AS



#### **Hood with Motor for Michelangelo Oven**

€ 1.534,11

VAT escluded

Shipping to be calculed

**Delivery** from 4 to 9 days











## VERSIONE CON COMANDI DIGITALI Mod: ML 435/1CD

- Sistema di controllo con scheda elettronica;
- possibilità di impostare la temperatura della camera e la potenza dei gruppi di resistenze (cielo e platea) in maniera differenziata: "OFF" spento, "MIN" 33% o "MAX" 100%;
- avvisatore acustico di fine cottura;
- accensione del forno programmabile con conto alla rovescia fino a 99 ore;





## VERSIONE CON TOUCH SCREEN Mod: ML 435/1TS

- sistema di controllo Touch Screen con possibilità di impostare la temperatura della camera e la potenza dei due gruppi di resistenze (cielo e platea) in maniera differenziata da 0% a 100%;
- funzioni PIROLISI, ECONOMY e RECUPERO VELOCE integrate;
- programmazione cotture;
- avvisatore acustico di fine cottura;
- timer settimanale + agenda;