



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	5060
<b>motor power capacity (Kw)</b>	2,4
<b>net weight (Kg)</b>	6
<b>gross weight (Kg)</b>	10
<b>breadth (mm)</b>	970
<b>depth (mm)</b>	80
<b>height (mm)</b>	160

#### PROFESSIONAL DESCRIPTION

##### Infrared (FIR) heating lamp for rooms up to 25 m<sup>2</sup> with remote control

- **Infrared tube** with **high efficiency carbon fiber** heating element
- **Homogeneous diffusion of heat** by radiation.
- **Long wave infrared rays (FIR)** guarantee **maximum comfort**
- **4 power levels** : 10%, 40%, 60%, 100%
- Heated area **up to 25 m<sup>2</sup>**
- **Thermostat adjustable** from 5 to 45 °C
- Temperature setting in °C or °F
- Useful life of the infrared tube: **approximately 5000 hours of operation** .
- **Quick and easy** infrared tube **replacement**

##### Functions and features

- **"Open Window Detection" function** : the device automatically turns off if the ambient temperature drops by more than 3°C in 2 minutes
- **"Smart Heating" function** : the radiator automatically adapts the heating power based on the ambient temperature, this allows for greater efficiency in using the radiator.
- **Timer function** : switch-off timer programmable up to 24 hours
- **LED display**
- **IP65 protection**
- **Child safety lock**
- **Overload protection**
- **Remote control included** : works with 1 CR2025 3V battery and 2 AAA 1.5V batteries (not included). Remote control sensitivity: MAX 6 m
- Cable length 1.7 m
- Mounting: ceiling or wall installation at the desired angle, screws and brackets included.
- Minimum distance on the sides: 50 cm
- Minimum distance from the ceiling: 50 cm
- Minimum distance from the floor: 180 cm

CE mark

CODE	DESCRIPTION	PRICE/DELIVERY
HT-HA125	Infrared RADIANT HEATING LAMP for rooms, adjustable with remote control, 4 power levels, adjustable thermostat V.230/1, kw 2.4, cm 97x8x16h	<b>€ 148,45</b> <i>VAT excluded</i> <b>Shipping to be caluled</b> <b>Delivery</b> from 4 to 9 days