



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,35
<b>net weight (Kg)</b>	76
<b>gross weight (Kg)</b>	85
<b>breadth (mm)</b>	720
<b>depth (mm)</b>	790
<b>height (mm)</b>	2020

#### PROFESSIONAL DESCRIPTION

**1-door refrigerator , capacity 680 litres, temperature -2°/+8°C, ECO-FRIENDLY in Class C:**

- **External and internal structure in 304 18/10 stainless steel ;**
- Top, back and external bottom in AISI 430;
- Partially ducted **ventilated refrigeration** to ensure **correct air circulation inside the cell**
- **Thermostatic temperature control ;**
- **Closing with Key and LED spotlight door open;**
- Energy class C, climate class 5 (tropicalized);
- Refrigeration unit with ECOLOGICAL GAS **R290a** (GWP equal to 3) which leads to **significant energy savings ;**
- Hot gas defrosting, rather than resistance defrosting, allows for energy savings and defrosting is carried out more quickly;
- The guides are with a hand-saving folded fold, extractable racks
- The **insulation is made with HFO polyurethane** which has a **GWP level of 0** , respecting the environment and the stringent future regulations of the coming years.

**Included :**

- n.3 GN 2/1 grids





**Optional/Accessories :**

- GN 2/1 plasticized grid

- GN 2/1 stainless steel grill
- Pair of stainless steel guides
- Stainless steel wheels ø 125

**CE mark**  
**Made in ITALY**

CODE	DESCRIPTION	PRICE/DELIVERY
TCF091-000201	1 Door Refrigerator Cabinet, Professional, external structure in stainless steel, lt.700, Temp.-2°/+8°C, ECO-FRIENDLY in Class C, R290a Gas, ventilated, V.230/1, Kw.0.35, Weight 76 Kg, dim.mm.720x790x2020h	<b>€ 1.172,42</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>TCF091-000209</b> 	<b>Pair of stainless steel guides</b>	<b>€ 12,72</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>TCF091-000207</b> 	<b>Grid gn 2/1 laminated</b>	<b>€ 17,33</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>TCF091-000208</b> 	<b>Grid gn 2/1 in stainless steel</b>	<b>€ 39,88</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>TCF091-000210</b> 	<b>4 wheels diameter 125 mm, 2 of which with brake</b>	<b>€ 109,65</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days



