



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



MAX  
Ø 90  
H 360

**Nota:** vedi nell'immagine aggiuntiva i colori disponibili

#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,12
<b>net weight (Kg)</b>	50
<b>breadth (mm)</b>	874
<b>depth (mm)</b>	388
<b>height (mm)</b>	910

#### PROFESSIONAL DESCRIPTION

**WINE CELLAR-TECA, Capacity 24 Horizontal Bottles, 3 Glass Sides for WALL INSTALLATION, STATIC or VENTILATED REFRIGERATION, suitable for WHITE or RED WINES, SLIM Line, 36 cm Deep:**

- **Structure:** thermally broken aluminium, polyurethane foam panels ,
- **Openings:** double sliding doors ,
- **Glass:** Low emissivity double glazing - UV protection - Argon gas,
- **ECOLGICO** refrigeration unit with R 600a GAS
- **Digital thermoregulator** from +4°C to +18°C selectable by the user ,
- Refrigeration system: Static or Ventilated selectable by the user,
- Condensation system: Ventilated,
- **Automatic defrosting** , automatic evaporation of condensation,
- **Inverter compressor** ,
- **Innovative refrigeration system based on the positioning of the cooling coil inside the refrigerated compartment behind the rear panel which guarantees better storage conditions** ,
- **Air filtration system** : rechargeable activated carbon filter ;
- **Natural white LED lighting** ,
- Key lock,
- Anti-vibration system,
- Room Temperature: +25°, MAX for WHITE WINES
- Ambient Temperature: +30°, MAX for RED WINES

#### 4 POSSIBLE USE POSSIBILITIES CONFIGURABLE by the Customer

- MULTI-TEMPERATURE STATIC from +4° to +16°C for WHITE and RED wines ,
- MULTITEMPERATURE STATIC from +14° to +20°C for ROSS I wines ,
- VENTILATED for RED wines with adjustable temperature from +14° to +16° C ,
- VENTILATED for WHITE wines with adjustable temperature from +4° to +6° C ;

Possible INSTALLATIONS, to be selected at the TIME of the order within the PRODUCT SHEET .





INTERNAL FINISH : Internal backrest in silver anodized aluminum - Standard .


EXTERNAL FINISHES : The display case can be covered with different types of frames available in many colors and easily replaceable. (See additional images) .

- MDF - LINEAR FRAME : UNPAINTED MDF - MATT WHITE - MATT BLACK - RAL 20 COLOURS MATT LACQUERED

CE mark  
Made in Italy

#### AVAILABLE MODELS


CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>EO-TEP-H20-L-GR</b> 	WINE CABINET with RAW MDF WOOD FRAME, 3 GLASS SIDES, capacity 24 HORIZONTAL bottles, STATIC or VENTILATED cold, temp. +4°/+16°C, for WHITE or RED WINES, doors on 1 side, V.230/1, Kw.0.12, Weight 50 Kg, dim.mm.874x388x910h	<b>€ 3.412,09</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 10 to 18 days
<b>EO-TEP-H20-L-RAL9010</b> 	WINE CABINET with WOODEN FRAME, MATT WHITE color, 3 GLASS SIDES, capacity 24 HORIZONTAL bottles, STATIC or VENTILATED cold, temp. +4°/+16°C, for WHITE or RED WINES, doors on 1 side, V.230/1, Kw.0.12, Weight 50 Kg, dim.mm.874x388x910h	<b>€ 3.447,26</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 10 to 18 days
<b>EO-TEP-H20-L-RAL9005</b> 	WINE CABINET with WOODEN FRAME, MATT BLACK color, 3 GLASS SIDES, capacity 24 HORIZONTAL bottles, STATIC or VENTILATED cold, temp. +4°/+16°C, for WHITE or RED WINES, doors on 1 side, V.230/1, Kw.0.12, Weight 50 Kg, dim.mm.874x388x910h	<b>€ 3.447,26</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 10 to 18 days
<b>EO-TEP-H20-RAL</b> 	WINE CABINET with WOODEN FRAME in RAL20 colours, 3 GLASS SIDES, capacity 24 HORIZONTAL bottles, STATIC or VENTILATED cold, temp. +4°/+16°C, for WHITE or RED WINES, doors on 1 side, V.230/1, Kw.0.12, Weight 50 Kg, dim.mm.874x388x910h	<b>€ 3.799,03</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 10 to 18 days



CODE										USE
TEP-H20	874 x 388 x 910	50	114	24	42	230 / 50-60Hz	120	1,30	R 600a	Professional



#### EXAMPLES OF SETTINGS



#### SCHIENALE INTERNO - STANDARD



● Alluminio anodizzato argento

#### TIPOLOGIA CORNICE DI FINITURA

Cornice lineare



## COLORI E FINITURE PER CORNICI



## TERMOREGOLATORE



TERMOREGOLATORE DIGITALE (DI SERIE)



TERMOREGOLATORE A CONTROLLO REMOTO (OPTIONAL)

Tramite il termoregolatore digitale è possibile settare la temperatura, azionare la ventilazione interna, accendere le luci, attivare il ciclo di sbrinatorio manuale ed accedere ai parametri che regolano il funzionamento della vetrina. Il termoregolatore a controllo remoto aggiunge la possibilità di collegare la vetrina al WiFi e permette di controllarla tramite l'applicazione Expo ConneX. Un sistema di connessione all'avanguardia consente ai nostri tecnici di fornire assistenza da remoto in qualsiasi parte del mondo il prodotto si trovi.

## IMPIANTO A REFRIGERAZIONE CENTRALE BREVETTATO



Rappresenta una rivoluzione nel campo della termodinamica applicata. È il primo frigorifero al mondo con serpentina di evaporazione al centro del vano refrigerato, un perfetto equilibrio termico. L'evaporatore diventa un supporto. Tutte le bottiglie sono poste alla stessa distanza dalla fonte del freddo. Il sistema di condensazione ventilato a pala premente è posizionato all'interno della base.