



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



*piani regolabili ogni 5 cm
adjustable shelves every 5 cm*

Nota: vedi nell'immagine aggiuntiva i colori disponibili

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,12
net weight (Kg)	70
breadth (mm)	874
depth (mm)	568
height (mm)	910

PROFESSIONAL DESCRIPTION

WINE CELLAR-TECA, Capacity 64 Vertical Bottles, 3 Glass Sides for WALL INSTALLATION, STATIC or VENTILATED REFRIGERATION, suitable for WHITE or RED WINES:

- **Structure:** thermally broken aluminium, polyurethane foam panels ,
- **Openings:** double sliding doors ,
- **Glass:** Low emissivity double glazing - UV protection - Argon gas ;
- **ECOLOGICAL** refrigeration unit with R 600a GAS;
- **Digital thermoregulator** from +4°C to +18°C selectable by the user ,
- Refrigeration system: Static or Ventilated, user selectable;
- Condensation system: Ventilated,
- **Automatic defrosting** , automatic evaporation of condensation,
- **Innovative refrigeration system based on the positioning of the cooling coil in the centre of the display case which guarantees better storage conditions ,**
- **Air filtration system: rechargeable activated carbon filter ;**
- **Natural white LED lighting ,**
- **Key lock ,**
- **Anti-vibration system ,**
- Room Temperature: +25°, MAX for WHITE WINES
- Ambient Temperature: +30°, MAX for RED WINES

4 POSSIBLE USE POSSIBILITIES CONFIGURABLE by the Customer

- MULTI-TEMPERATURE STATIC from +4° to +12°C for WHITE and RED wines ,
- MULTI-TEMPERATURE STATIC from +14° to +18°C for RED WINES ,
- VENTILATED for RED wines with adjustable temperature from +14° to +16° C ,
- VENTILATED for WHITE wines with adjustable temperature from +6° to +8° C ;

Possible INSTALLATIONS, to be selected at the TIME of the order within the PRODUCT SHEET .

INTERNAL FINISH : Internal backrest in silver anodized aluminum - Standard .

EXTERNAL FINISHES : The display case can be covered with different types of frames available in many colors and easily replaceable. (See additional images) .

- MDF - LINEAR FRAME: UNPAINTED MDF - MATT WHITE - MATT BLACK - RAL 20 COLOURS MATT LACQUERED

CE mark
Made in Italy

AVAILABLE MODELS

EO-TEP-M23-L-GR



WINE CABINET with UNPAINTED MDF WOOD FRAME, 3 GLASS SIDES, capacity 64 VERTICAL bottles, STATIC or VENTILATED cold, temp. +4°/+16°C, for WHITE or RED WINES, doors on 1 side, V.230/1, Kw.0.12, Weight 70 Kg, dim.mm.874x568x910h

€ 3.759,94

VAT excluded
Shipping to be calculated

Delivery from 10 to 18 days

EO-TEP-M23-L-RAL9010



WINE CABINET with WOODEN FRAME, MATT WHITE color, 3 GLASS SIDES, capacity 64 VERTICAL bottles, STATIC or VENTILATED cold, temp. +4°/+16°C, for WHITE or RED WINES, doors on 1 side, V.230/1, Kw.0.12, Weight 70 Kg, dim.mm.874x568x910h

€ 3.793,82

VAT excluded
Shipping to be calculated

Delivery from 10 to 18 days

EO-TEP-M23-L-RAL9005



WINE CABINET with WOODEN FRAME, MATT BLACK color, 3 GLASS SIDES, capacity 64 VERTICAL bottles, STATIC or VENTILATED cold, temp. +4°/+16°C, for WHITE or RED WINES, doors on 1 side, V.230/1, Kw.0.12, Weight 70 Kg, dim.mm.874x568x910h

€ 3.793,82

VAT excluded
Shipping to be calculated

Delivery from 10 to 18 days

EO-TEP-M23-RAL




WINE CABINET with WOODEN FRAME in RAL colors, 3 GLASS SIDES, capacity 64 VERTICAL bottles, STATIC or VENTILATED cold, temp. +4°/+16°C, for WHITE or RED WINES, doors on 1 side, V.230/1, Kw.0.12, Weight 70 Kg, dim.mm.874x568x910h

€ 4.132,55

VAT excluded
Shipping to be calculated


Delivery from 10 to 18 days



CODE										USE
TEP-M23	874 x 568 x 910	70	220	64	47	230 / 50-60Hz	120	1,84	R600 a	Professional



EXAMPLES OF SETTINGS



SCHIENALE INTERNO - STANDARD



● Alluminio anodizzato argento

TIPOLOGIA CORNICE DI FINITURA

Cornice lineare



COLORI E FINITURE PER CORNICI



TERMOREGOLATORE



TERMOREGOLATORE DIGITALE (DI SERIE)



TERMOREGOLATORE A CONTROLLO REMOTO (OPTIONAL)

Tramite il termoregolatore digitale è possibile settare la temperatura, azionare la ventilazione interna, accendere le luci, attivare il ciclo di sbrinatorio manuale ed accedere ai parametri che regolano il funzionamento della vetrina. Il termoregolatore a controllo remoto aggiunge la possibilità di collegare la vetrina al WiFi e permette di controllarla tramite l'applicazione Expo ConneX. Un sistema di connessione all'avanguardia consente ai nostri tecnici di fornire assistenza da remoto in qualsiasi parte del mondo il prodotto si trovi.

IMPIANTO A REFRIGERAZIONE CENTRALE BREVETTATO



Rappresenta una rivoluzione nel campo della termodinamica applicata. È il primo frigorifero al mondo con serpentina di evaporazione al centro del vano refrigerato, un perfetto equilibrio termico. L'evaporatore diventa un supporto. Tutte le bottiglie sono poste alla stessa distanza dalla fonte del freddo. Il sistema di condensazione ventilato a pala premente è posizionato all'interno della base.