

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD		
power supply	Monofase	
Volts	V 230/1	
frequency (Hz)	50	
motor power capacity (Kw)	0,48	
net weight (Kg)	70	
breadth (mm)	720	
depth (mm)	700	
height (mm)	2020	

PROFESSIONAL DESCRIPTION

FREEZER CABINET 1 Door, capacity 600 litres, temperature -15°/-18°C, ECO-FRIENDLY in Class D :

- monocoque with 60 mm insulation with HFO polyurethane foam, which has a GWP level of 0;
- $\circ \ \ \text{the material used is stainless steel with a prevalence of Aisi 304} \ , \ \text{excluding the non-visible parts};$
- $\circ~$ monobloc units, use R290 gas (GWP equal to 3) which leads to significant energy savings ;
- $\circ \ \ \textbf{hot gas defrosting} \ , \ \text{rather than resistance defrosting, allows for energy savings and defrosting is carried out more quickly;}$
- $\circ \ \ \textbf{partially ducted ventilation} \ \text{to ensure correct air circulation inside the cell};$
- $\circ~$ the guides have a hand-saving folded fold , removable racks;
- the fan stop micro switch when opening the door is mechanical and does not need to be moved if the opening direction is changed;
- **the door is reversible** , simply mount the lower hinge on the opposite side;
- the internal fittings are snap-fit and easily removable to ensure maximum convenience in cleaning operations;
- the outlet mouth, in ventilated cabinets, is protected by a channel, which ensures that the outgoing cold air is not hindered by products or ice formations;

TECHNICAL DATA:

o Capacity (It): 600

• Energy class: D

• Operating temperature: -15°/-18°

• Electric power (Kw): 0.48

o V/Hz: 230/50

• Refrigerant gas: R290

• Weight (Kg): 70

o Dimensions (cm): 720x700x2020

CE MARK MADE IN ITALY

CODE	DESCRIPTION	PRICE/DELIVERY	
TCF091-000305	1 Door Freezer Cabinet, Professional, external structure in stainless steel, lt.600, Temp15°/-18°C, ECO-FRIENDLY in Class D, R290 Gas, ventilated, V.230/1, Kw.0.48, Weight 70 Kg, dim.mm.720x700x2020h	€ 1.545,16 VAT escluded Shipping to be calculed Delivery from 8 to 15 days	
TECHNICAL CARD			
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY	
TCF091-000311	Pair of stainless steel guides	€ 11,51 VAT escluded Shipping to be calculed Delivery from 4 to 9 days	
TCF091-000310	Plasticized grid 530x550	€ 18,82 VAT escluded Shipping to be calculed Delivery from 4 to 9 days	
TCF091-000309	Stainless steel wheels	€ 119,12 VAT escluded Shipping to be calculed Delivery from 4 to 9 days	



