

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

| power supply | Monofase |
|---------------------------|----------|
| Volts | V 230/1 |
| frequency (Hz) | 50 |
| motor power capacity (Kw) | 1,00 |
| net weight (Kg) | 38 |
| breadth (mm) | 460 |
| depth (mm) | 520 |
| height (mm) | 420 |

PROFESSIONAL DESCRIPTION

COUNTER-TOP VACUUM PACKAGING MACHINE WITH BELL, 35 cm SEALING BAR, VACUUM LINE :

• VACUUM LINE with 3.5" colour display, fully automatic. Possibility of storing 5 user programmes, One Touch system as standard and marinating programme.

TECHNICAL FEATURES :

- **MARINATING PROGRAM**: Work cycle that allows alternating small vacuum cycles and pressure restoration cycles inside the bell. Through this operation, during the pressure restoration phase, the pores of the food are subjected to an opening stress, therefore the seasoning present in the bag will be absorbed more easily and homogeneously.
- **CLEAN PUMP CYCLE** : The "Clean Pump" function is the regeneration of the oil inside the pump. It allows the oil to reach high temperatures, so as to allow the evaporation of humidity and any impurities present in the oil itself.
- **GASTROVAC SYSTEM** : Function for suction in external containers using the appropriate connection accessory and a set of gastronorm vacuum containers.
- AUTOMATIC START
- ONE TOUCH SYSTEM
- 5 PROGRAMS

TECHNICAL DATA :

- Dimensions mm: 460x520x420h
- Chamber dimensions mm: 360x400x190h
- Welding bar mm: 350
- Vacuum pump flow rate mc/h: 10
- Power supply V/Hz/kW: 230/50/1.00

- Welding: Membrane
- Weight Kg: 38

OPTIONAL/ACCESSORIES :

- Inclined plane
- Machine support trolley

CE MARK MADE IN ITALY

| CODE | DESCRIPTION | PRICE/DELIVERY |
|---------------|---|--|
| EM-E-VAC35 | VACUUM PACKAGING MACHINE with CHAMBER VACUUM LINE, Mod.E-VAC35, with CHAMBER mm.360x400x190h, SEALING BAR mm.350, DIGITAL CONTROLS, V. 230/1 - Kw 1.00 - external dimensions mm. 460x520x420h | € 1.238,30 VAT escluded Shipping to be calculed Delivery from 4 to 9 days |
| | TECHNICAL CARD | |
| CODE/PICTURES | DESCRIPTION | PRICE/DELIVERY |
| | Inclined plane for liquids | € 89,55 VAT escluded Shipping to be calculed Delivery from 4 to 9 days |
| EM-PI | Machine support trolley | € 283,22 VAT escluded Shipping to be calculed Delivery from 4 to 9 days |
| | | |



