



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,15
net weight (Kg)	55
breadth (mm)	510
depth (mm)	560
height (mm)	450

PROFESSIONAL DESCRIPTION

COUNTER-TOP VACUUM PACKAGING MACHINE WITH BELL, 400 mm SEALING BAR, PROFESSIONAL LINE :

PROFESSIONAL LINE : is the line dedicated to professionals, with a 4.3" color display, fully automatic and piston welding. Possibility of storing 20 user programs, One Touch system as standard and Chef programs to support each preparation.

TECHNICAL FEATURES :

- **CHEF PROGRAMS** : specifically designed for all professionals in the HoReCa sector, they simplify complex operations and processes that would otherwise involve a great waste of time and energy in a kitchen. These are pre-programmed vacuum cycles, the result of careful research aimed at satisfying the needs and requirements of all operators in the sector
- **CLEAN PUMP CYCLE** : The "Clean Pump" function is the regeneration of the oil inside the pump. It allows the oil to reach high temperatures, so as to allow the evaporation of humidity and any impurities present in the oil itself.
- **ONE TOUCH SYSTEM** : the technology that allows you to keep the vacuum chamber clean and, at the same time, extend the life of the gas spring, saving you money on spare parts.
- **GASTROVAC SYSTEM** : Function for suction in external containers using the appropriate connection accessory and a set of gastronorm vacuum containers.
- **AUTOMATIC START**
- **20 PROGRAMS**
- **PISTON WELDING**
- **STEP VAC**
- **SOFT VAC**
- **EXTRA VAC**





TECHNICAL DATA :

- DIMENSIONS 510x560x450H mm
- CHAMBER DIMENSIONS 410x450x220H mm
- WELDING BAR 400 mm
- VACUUM PUMP FLOW Q=20 m³h-OIL
- POWER SUPPLY V/Hz/Kw: 230/50/1.15
- WIRELESS WELDING (pistons)
- WEIGHT 55 kg

ACCESSORIES/OPTIONALS :

- Inclined plane
- Support Cart
- Busch pump
- Inert gas
- Cutting excess
- Double height tub
- Additional bar

CE MARK
MADE IN ITALY

CODE	DESCRIPTION	PRICE/DELIVERY
EM-E-PRO40	PROFESSIONAL LINE CHAMBER VACUUM PACKAGING MACHINE, CHAMBER mm. 410x450x220h, SEALING BAR 400 mm. VACUUM PUMP 20 cubic meters/hour, V.230/1, Kw. 1.15, Weight Kg. 55, external dimensions mm. 510x560x450h	€ 1.963,34 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
EM-TGL 	Cutting excess	€ 58,34 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
EM-PI 	Inclined plane for liquids	€ 89,55 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
EM-GSR 	Inert gas	€ 246,01 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
EM-BAG 	Additional welding bar	€ 266,23 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
EM-PI	Machine support trolley	€ 283,22 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days



EM-VDA

Double height tub

€ 373,85

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days





CARATTERISTICHE TECNICHE



programmi chef



gastrovac system



avvio automatico



step vac



clean pump



soft vac



one touch system



20 programmi



saldatura a pistoni



extra vac

DISPOSIZIONE BARRE SALDANTI

STANDARD



OPTION

