

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,57
net weight (Kg)	45
gross weight (Kg)	50,5
breadth (mm)	500
depth (mm)	600

PROFESSIONAL DESCRIPTION

685

FULL ICE CUBES MAKER, Yield 40 kg/24 hours, 15 kg internal storage, available with air or water cooled refrigeration unit:

height (mm)

- High-density, crystalline, and pure solid ice cube. Suitable for prolonged cooling of any beverage (without diluting it) in any situation.
 The ice cubes are formed by sprinkling water onto a horizontal copper evaporator, which, as it cools, forms pure, crystalline, high-density ice cubes. The solid ice cube, purer than the water it is made from, is ideal for prolonged cooling of any beverage, without diluting it, in any situation.
- Stainless steel body ;
- Front ventilation , ideal for built-in installation;
- Electronic control with self-diagnosis;
- Easy maintenance;
- Expanded polyurethane insulation (HCFC-free) to preserve ice quality;
- Easily removable front condensation filter;
- Lower water consumption;
- Energy saving;
- Tropical class +43°C.

TECHNICAL DATA:

- Dimensions (WxDxH): 500x600x685 mm
- Production in 24h (21°C 15°C): 40 Kg
- Storage capacity: 15 kg

• Production per cycle: 40 ice cubes

Ice type: 18g full cube Cooling system: Air / Water Refrigerant type: R 290

Standard voltage: 230 V~ 50 Hz
 Power consumption: 570 W

• Cube dimensions (LxH): 33x30 mm

Feet: + 0÷20 mmNet weight: 45 kgGross weight: 50.5 kg

CE MARK
MADE IN ITALY

AVAILABLE MODELS

TCF055-001400



Producer/Factorier of ice in full cubes, yield 40 Kg/24 hours, storage 15 Kg, AIR-cooled version, V.230/1, Kw.0,57, dim.mm.500x600x685h

€ 897,25

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days

TCF055-001500



Producer/Factorier of ice in full cubes, yield 40 Kg/24 hours, storage 15 Kg, WATER-cooled version, V.230/1, Kw.0,57, dim.mm.500x600x685h

€ 922,74

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days









Areazione frontale, ideale per l'incasso Frontal air circulation, suitable for reduced spaces Ventilation frontale, idéale pour espaces réduits Ventilación frontal, ideal para espacios reducidos



Controllo elettronico con autodiagnosi Self-test electronic control Contrôle électronique avec autodiagnostic Control electrónico con autodiagnóstico



Manutenzione facilitata Easy maintenance Entretien facile Fácil mantenimiento







Isolamento in poliuretano espanso (HCFC-free) per preservare la qualità del ghiaccio Injected polyurethane loam insulation (HCFC-free) to preserve ice quality Isolation en polyuréthane expansé (HCFC-free) à haute isolation pour une meilleure conservation et qualité des glaçons
Aislamiento con espuma de poliuretano (HCFC-free) para preservar la calidad del hielo



Carrozzeria in acciao inox Stainless steel body Carrosserie en acier inox Carroseria en acero inoxidable



Filtro frontale di condensazione facilmente estraibile
Easily removable front condensation filter
Filtre frontal à poussière, facile à enlever
Filtro antipolvo frontal, fácilmente extraíble