



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,57
net weight (Kg)	47
gross weight (Kg)	53
breadth (mm)	500
depth (mm)	600
height (mm)	685

PROFESSIONAL DESCRIPTION

ICE MAKER in FULL CUBES, Yield 45 Kg/ 24 hours, internal storage of 15 Kg, available with air or water cooled refrigeration unit:

- **Full cube with high density , crystalline and pure** . Suitable for the prolonged cooling of any drink (without watering it down) in any situation of use. The formation of the cubes occurs through the sprinkling of water on a horizontal copper evaporator which, when cooling, forms pure and crystalline high density ice cubes. The full cube, purer than the water from which it derives, is the most suitable for the prolonged cooling of any drink, without watering it down, in any situation of use;
- **Stainless steel bodywork ;**
- **Front ventilation** , ideal for built-in installation;
- **Electronic control** with self-diagnosis;
- Easy maintenance;
- **Expanded polyurethane insulation** (HCFC-free) to preserve the quality of the ice;
- Easily removable front condensation filter;
- Lower water consumption;
- Energy saving;
- Tropical class +43°C.

TECHNICAL DATA :

- Dimensions (LxWxH): 500x600x685 mm
- Production in 24h (21°C - 15°C): 45 Kg
- Storage capacity: 15 Kg

- Production in 24h: 45 kg
- Production per cycle: 40 ice cubes
- Ice type: Full cube 18 gr
- Cooling system: Air / Water
- Refrigerant type: R 290
- Standard voltage: 230 V~ 50 Hz
- Power consumption: 570 W
- Cube dimensions (LxH): 33x30 mm
- Feet: + 0÷20 mm
- Net weight: 47 Kg
- Gross weight: 53 Kg

CE MARK
MADE IN ITALY

AVAILABLE MODELS

TCF055-001700



Producer/Factorier of ice in full cubes, yield 45 Kg/24 hours, storage 15 Kg, WATER-cooled version, V.230/1, Kw.0,57, dim.mm.500x600x685h

€ 922,74

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

TCF055-001600




Producer/Factorier of ice in full cubes, yield 45 Kg/24 hours, storage 15 Kg, AIR-cooled version, V.230/1, Kw.0,57, dim.mm.500x600x685h

€ 943,13

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days



Dimensioni cubetto (LxH):

33x30 mm





Areazione frontale, ideale per l'incasso
Frontal air circulation, suitable for reduced spaces
Ventilation frontale, idéale pour espaces réduits
Ventilación frontal, ideal para espacios reducidos



Controllo elettronico con autodiagnosi
Self-test electronic control
Contrôle électronique avec autodiagnostic
Control electrónico con autodiagnóstico



Manutenzione facilitata
Easy maintenance
Entretien facile
Fácil mantenimiento



Isolamento in poliuretano espanso (HCFC-free) per preservare la qualità del ghiaccio
Injected polyurethane foam insulation (HCFC-free) to preserve ice quality
Isolation en polyuréthane expansé (HCFC-free) à haute isolation pour une meilleure conservation et qualité des glaçons
Aislamiento con espuma de poliuretano (HCFC-free) para preservar la calidad del hielo



Carrozzeria in acciaio inox
Stainless steel body
Carrosserie en acier inox
Carroseria en acero inoxidable



Filtro frontale di condensazione facilmente estraibile
Easily removable front condensation filter
Filtre frontal à poussière, facile à enlever
Filtro antipolvo frontal, fácilmente extraíble