



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,57
<b>net weight (Kg)</b>	47
<b>gross weight (Kg)</b>	53
<b>breadth (mm)</b>	500
<b>depth (mm)</b>	600
<b>height (mm)</b>	685

#### PROFESSIONAL DESCRIPTION

**FULL ICE CUBES MAKER, Yield 45 kg/24 hours, 15 kg internal storage, available with air or water cooled refrigeration unit:**

- **High-density , crystalline, and pure** solid ice cube. Suitable for prolonged cooling of any beverage (without diluting it) in any situation. The ice cubes are formed by sprinkling water onto a horizontal copper evaporator, which, as it cools, forms pure, crystalline, high-density ice cubes. The solid ice cube, purer than the water it is made from, is ideal for prolonged cooling of any beverage, without diluting it, in any situation.
- **Stainless steel body ;**
- **Front ventilation** , ideal for built-in installation;
- **Electronic control** with self-diagnosis;
- Easy maintenance;
- **Expanded polyurethane insulation** (HCFC-free) to preserve ice quality;
- Easily removable front condensation filter;
- Lower water consumption;
- Energy saving;
- Tropical class +43°C.

#### TECHNICAL DATA :

- Dimensions (WxDxH): 500x600x685 mm
- Production in 24h (21°C - 15°C): 45 Kg
- Storage capacity: 15 kg

- Production in 24h: 45 kg
- Production per cycle: 40 ice cubes
- Ice type: 18g full cube
- Cooling system: Air / Water
- Refrigerant type: R 290
- Standard voltage: 230 V~ 50 Hz
- Power consumption: 570 W
- Cube dimensions (LxH): 33x30 mm
- Feet: + 0÷20 mm
- Net weight: 47 kg
- Gross weight: 53 kg

**CE MARK**  
**MADE IN ITALY**

#### AVAILABLE MODELS

##### TCF055-001700



**Producer/Factorier of ice in full cubes, yield 45 Kg/24 hours, storage 15 Kg, WATER-cooled version, V.230/1, Kw.0,57, dim.mm.500x600x685h**

**€ 922,74**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

##### TCF055-001600




**Producer/Factorier of ice in full cubes, yield 45 Kg/24 hours, storage 15 Kg, AIR-cooled version, V.230/1, Kw.0,57, dim.mm.500x600x685h**

**€ 943,13**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days



**Dimensioni cubetto (LxH):**

**33x30 mm**





**Areazione frontale, ideale per l'incasso**  
*Frontal air circulation, suitable for reduced spaces*  
*Ventilation frontale, idéale pour espaces réduits*  
*Ventilación frontal, ideal para espacios reducidos*



**Controllo elettronico con autodiagnosi**  
*Self-test electronic control*  
*Contrôle électronique avec autodiagnostic*  
*Control electrónico con autodiagnóstico*



**Manutenzione facilitata**  
*Easy maintenance*  
*Entretien facile*  
*Fácil mantenimiento*



**Isolamento in poliuretano espanso (HCFC-free) per preservare la qualità del ghiaccio**  
*Injected polyurethane foam insulation (HCFC-free) to preserve ice quality*  
*Isolation en polyuréthane expansé (HCFC-free) à haute isolation pour une meilleure conservation et qualité des glaçons*  
*Aislamiento con espuma de poliuretano (HCFC-free) para preservar la calidad del hielo*



**Carrozzeria in acciaio inox**  
*Stainless steel body*  
*Carrosserie en acier inox*  
*Carroseria en acero inoxidable*



**Filtro frontale di condensazione facilmente estraibile**  
*Easily removable front condensation filter*  
*Filtre frontal à poussière, facile à enlever*  
*Filtro antipolvo frontal, fácilmente extraíble*