

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,08
net weight (Kg)	81
gross weight (Kg)	89,5
breadth (mm)	736
depth (mm)	620
height (mm)	985

PROFESSIONAL DESCRIPTION

ICE MAKER in FULL CUBES, Yield 100 Kg/ 24 hours, internal storage 60 Kg, available with Air or Water Cooled Refrigeration Unit:

- **Full cube with high density**, **crystalline and pure**. Suitable for the prolonged cooling of any drink (without watering it) in any situation of use. The formation of the cubes occurs through the sprinkling of water on a horizontal copper evaporator which, when cooling, forms pure and crystalline high density ice cubes. The full cube, purer than the water from which it derives, is the most suitable for the prolonged cooling of any drink, without watering it, in any situation of use;
- Stainless steel bodywork;
- Front ventilation , ideal for built-in installation;
- **Electronic control** with self-diagnosis;
- Easy maintenance;
- $\circ \ \ \, \textbf{Expanded polyurethane insulation} \ \, (\text{HCFC-free}) \ \, \text{to preserve the quality of the ice;}$
- Easily removable front condensation filter;
- Lower water consumption;
- Energy saving;
- Tropical class +43°C.

TECHNICAL DATA:

- Dimensions (LxWxH): 736x620x985 mm
 Production in 24h (21°C 15°C): 100 Kg
- Storage capacity: 60 Kg

• Production per cycle: 64 ice cubes

Ice type: Full cube 18 gr
Cooling system: Air / Water
Refrigerant type: R 290

Standard voltage: 230 V~ 50 Hz
 Power consumption: 1080 W
 Cube dimensions (LxH):33x30 mm

Feet: 125÷190 mmNet weight: 81 KgGross weight: 89.5 Kg

CE MARK
MADE IN ITALY

AVAILABLE MODELS

TCF055-002400



Producer/Factorier of ice in full cubes, yield 100 Kg/24 hours, storage 60 Kg, AIR-cooled version, V.230/1, Kw.1,08, dim.mm.736x620x985h

€ 1.529,40

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days

TCF055-002500



Producer/Factorier of ice in full cubes, yield 100 Kg/24 hours, storage 60 Kg, WATER-cooled version, V.230/1, Kw.1,08, dim.mm.736x620x985h

€ 1.554,89

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days









Areazione frontale, ideale per l'incasso Frontal air circulation, suitable for reduced spaces Ventilation frontale, idéale pour espaces réduits Ventilación frontal, ideal para espacios reducidos



Controllo elettronico con autodiagnosi Self-test electronic control Contrôle électronique avec autodiagnostic Control electrónico con autodiagnóstico



Manutenzione facilitata Easy maintenance Entretien facile Fácil mantenimiento







Isolamento in poliuretano espanso (HCFC-free) per preservare la qualità del ghiaccio Injected polyurethane loam insulation (HCFC-free) to preserve ice quality Isolation en polyuréthane expansé (HCFC-free) à haute isolation pour une meilleure conservation et qualité des glaçons
Aislamiento con espuma de poliuretano (HCFC-free) para preservar la calidad del hielo



Carrozzeria in acciao inox Stainless steel body Carrosserie en acier inox Carroseria en acero inoxidable



Filtro frontale di condensazione facilmente estraibile
Easily removable front condensation filter
Filtre frontal à poussière, facile à enlever
Filtro antipolvo frontal, fácilmente extraíble